

Variable name	Type	Variable label
hhid	long	HHID. Unique ID for the household with RDW
a01c	int	A1c. District code
a02c	long	A2c. Block code
a03c	int	A3c. Panchayat code
a07	byte	A7. Interviewer: Is respondent available for interview?
a08	byte	A8. Do you agree to answer the survey questions?
a13	byte	A13. No of visits made to this house to complete the survey
a14	byte	A14. Result of the Interview
b00	byte	B00. Total number of family members usually live in this household
b01_1	byte	Member's ID - hh member 1
b01_2	byte	Member's ID - hh member 2
b01_3	byte	Member's ID - hh member 3
b01_4	byte	Member's ID - hh member 4
b01_5	byte	Member's ID - hh member 5
b01_6	byte	Member's ID - hh member 6
b01_7	byte	Member's ID - hh member 7
b01_8	byte	Member's ID - hh member 8
b01_9	byte	Member's ID - hh member 9
b01_10	byte	Member's ID - hh member 10
b01_11	byte	Member's ID - hh member 11
b01_12	byte	Member's ID - hh member 12
b01_13	byte	Member's ID - hh member 13
b01_14	byte	Member's ID - hh member 14
b01_15	byte	Member's ID - hh member 15
b01_16	byte	Member's ID - hh member 16
b01_17	byte	Member's ID - hh member 17
b01_18	byte	Member's ID - hh member 18
b01_19	byte	Member's ID - hh member 19
b01_20	byte	Member's ID - hh member 20
b03_1	byte	Relationship to the RDW - hh member 1
b03_2	byte	Relationship to the RDW - hh member 2
b03_3	byte	Relationship to the RDW - hh member 3
b03_4	byte	Relationship to the RDW - hh member 4
b03_5	byte	Relationship to the RDW - hh member 5
b03_6	byte	Relationship to the RDW - hh member 6
b03_7	byte	Relationship to the RDW - hh member 7
b03_8	byte	Relationship to the RDW - hh member 8
b03_9	byte	Relationship to the RDW - hh member 9
b03_10	byte	Relationship to the RDW - hh member 10
b03_11	byte	Relationship to the RDW - hh member 11
b03_12	byte	Relationship to the RDW - hh member 12
b03_13	byte	Relationship to the RDW - hh member 13
b03_14	byte	Relationship to the RDW - hh member 14
b03_15	byte	Relationship to the RDW - hh member 15
b03_16	byte	Relationship to the RDW - hh member 16
b03_17	byte	Relationship to the RDW - hh member 17

b03_18	byte	Relationship to the RDW - hh member 18
b03_19	byte	Relationship to the RDW - hh member 19
b03_20	byte	Relationship to the RDW - hh member 20
b04_1	byte	Gender - hh member 1
b04_2	byte	Gender - hh member 2
b04_3	byte	Gender - hh member 3
b04_4	byte	Gender - hh member 4
b04_5	byte	Gender - hh member 5
b04_6	byte	Gender - hh member 6
b04_7	byte	Gender - hh member 7
b04_8	byte	Gender - hh member 8
b04_9	byte	Gender - hh member 9
b04_10	byte	Gender - hh member 10
b04_11	byte	Gender - hh member 11
b04_12	byte	Gender - hh member 12
b04_13	byte	Gender - hh member 13
b04_14	byte	Gender - hh member 14
b04_15	byte	Gender - hh member 15
b04_16	byte	Gender - hh member 16
b04_17	byte	Gender - hh member 17
b04_18	byte	Gender - hh member 18
b04_19	byte	Gender - hh member 19
b04_20	byte	Gender - hh member 20
b05_month_2	byte	Age of HH member in month - hh member 2
b05_month_3	byte	Age of HH member in month - hh member 3
b05_month_4	byte	Age of HH member in month - hh member 4
b05_month_5	byte	Age of HH member in month - hh member 5
b05_month_6	byte	Age of HH member in month - hh member 6
b05_month_7	byte	Age of HH member in month - hh member 7
b05_month_8	byte	Age of HH member in month - hh member 8
b05_month_9	byte	Age of HH member in month - hh member 9
b05_month_10	byte	Age of HH member in month - hh member 10
b05_month_11	byte	Age of HH member in month - hh member 11
b05_month_12	byte	Age of HH member in month - hh member 12
b05_month_13	byte	Age of HH member in month - hh member 13
b05_month_14	byte	Age of HH member in month - hh member 14
b05_month_15	byte	Age of HH member in month - hh member 15
b05_month_16	byte	Age of HH member in month - hh member 16
b05_month_17	byte	Age of HH member in month - hh member 17
b05_month_18	byte	Age of HH member in month - hh member 18
b05_month_19	byte	Age of HH member in month - hh member 19
b05_month_20	byte	Age of HH member in month - hh member 20
b05_year_2	byte	Age of HH member in year - hh member 2
b05_year_3	byte	Age of HH member in year - hh member 3
b05_year_4	byte	Age of HH member in year - hh member 4
b05_year_5	byte	Age of HH member in year - hh member 5
b05_year_6	byte	Age of HH member in year - hh member 6

b05_year_7	byte	Age of HH member in year - hh member 7
b05_year_8	byte	Age of HH member in year - hh member 8
b05_year_9	int	Age of HH member in year - hh member 9
b05_year_10	byte	Age of HH member in year - hh member 10
b05_year_11	byte	Age of HH member in year - hh member 11
b05_year_12	byte	Age of HH member in year - hh member 12
b05_year_13	byte	Age of HH member in year - hh member 13
b05_year_14	byte	Age of HH member in year - hh member 14
b05_year_15	byte	Age of HH member in year - hh member 15
b05_year_16	byte	Age of HH member in year - hh member 16
b05_year_17	byte	Age of HH member in year - hh member 17
b05_year_18	byte	Age of HH member in year - hh member 18
b05_year_19	byte	Age of HH member in year - hh member 19
b05_year_20	byte	Age of HH member in year - hh member 20
b06b	byte	B6b. Member ID of RDW (Mother)
b07b	byte	B7b. Member ID of the Household Head
b08b	byte	B8b. Member ID of the Index child
c01	byte	C1 . What is your religion?
c04	byte	C4 . What is your caste category?
c05	byte	C5. What is your marital status?
c06	byte	C6. What is your main occupation?
c07	byte	C7. Do you know how to read and write?
c08	byte	C8. Can you read this sentence out loud?
d01	byte	D1 . What was your age when you first got married?
d02	byte	D2 . Was this your first pregnancy?
d03	byte	D3 . How many times have you been pregnant (including the last pregnancy)?
d04	byte	D4 . What was your age when your first child was born?
d05	byte	D5 . How many living children do you have?
d06	byte	D6 . Do you have an MCP card?
d07	float	D7. Birth weight of last child (as per mother's knowledge)
d08	float	D8 . Birth weight of last child (as per MCP card)
e01_anm	byte	E1c. Do you know if in your village there is - ANM
e01_asha	byte	E1b. Do you know if in your village there is - ASHA
e01_aww	byte	E1a. Do you know if in your village there is - AWW
e02_anm	byte	E2c. During your last pregnancy, were you ever visited at home by - ANM
e02_asha	byte	E2b. During your last pregnancy, were you ever visited at home by - ASHA
e02_aww	byte	E2a. During your last pregnancy, were you ever visited at home by - AWW
e03_anm	byte	E3c. Number of times women made visits:(C)ANM
e03_asha	byte	E3b. Number of times women made visits:(B)ASHA
e03_aww	byte	E3a. Number of times women made visits:(A)AWW
e04_anm	byte	E4c. During your last pregnancy, did you meet for ANC with - ANM
e04_asha	byte	E4b. During your last pregnancy, did you meet for ANC with - ASHA
e04_aww	byte	E4a. During your last pregnancy, did you meet for ANC with - AWW
e05_anm	byte	E5c. Number of times met women at AWC:(C)ANM
e05_asha	byte	E5b. Number of times met women at AWC:(B)ASHA
e05_aww	byte	E5a. Number of times met women at AWC:(A)AWW
e06_anm	byte	E6c. During last pregnancy, did you meet at VHND with - ANM

e06_asha	byte	E6b. During last pregnancy, did you meet at VHND with - ASHA
e06_aww	byte	E6a. During last pregnancy, did you meet at VHND with - AWW
e07_anm	byte	E7c. Number of times met women at VHND:(C)ANM
e07_asha	byte	E7b. Number of times met women at VHND:(B)ASHA
e07_aww	byte	E7a. Number of times met women at VHND:(A)AWW
e08_anm	byte	E8c. Number of times met ANM at the Subcenter during last pregnancy
e09_anm_0	byte	E09c. Services during preg from ANM: (0) Did not provide any services
e09_anm_1	byte	E09c. Services during preg from ANM: (1) ANC checkup
e09_anm_2	byte	E09c. Service by woman: (2) Weight measurmnt information on adequat weight gain
e09_anm_3	byte	E09c. Services during preg from ANM: (3) Information on diet composition
e09_anm_4	byte	E09c. Services during preg from ANM: (4) Information on diet quantity
e09_anm_5	byte	E09c. Services during preg from ANM: (5) Provided adult IFA tablets
e09_anm_6	byte	E09c. Services during preg from ANM: (6) Counsellled on adult IFA tablets
e09_anm_7	byte	E09c. Services during preg from ANM: (7) Provided adult calcium tablets
e09_anm_8	byte	E09c. Services during preg from ANM: (8) Counsellled on adult calcium tablets
e09_anm_9	byte	E09c. Services during preg from ANM: (9) Provided handwashing information
e09_anm_10	byte	E09c. Services during preg from ANM: (10) Information on hygiene and sanitation
e09_anm_11	byte	E09c. Services during preg from ANM: (11) Delivery information
e09_anm_12	byte	E09c. Services during preg from ANM: (12) Information on JSY &JSSK
e09_anm_13	byte	E09c. Services during preg from ANM: (13) Information on other government schemes
e09_anm_14	byte	E09c. Services during preg from ANM: (14) Newborn care
e09_anm_15	byte	E09c. Services during preg from ANM: (15) THR
e09_anm_16	byte	E09c. Services during preg from ANM: (16) Consultation for illness
e09_anm_17	byte	E09c. Services during preg from ANM: (17) Medicine/prescription
e09_anm_18	byte	E09c. Services during preg from ANM: (18) Referral to another facility (hospital or clinic)
e09_anm_19	byte	E09c. Services during preg from ANM: (19) Breastfeeding information
e09_anm_20	byte	E09c. Services during preg from ANM: (20) Exercise during pregnancy
e09_anm_21	byte	E09c. Services during preg from ANM: (21) Tetanus injection
e09_anm_95	byte	E09c. Services during preg from ANM: (95) Other
e09_anm__99	byte	E09c. Services during preg from ANM: (_99) Don't know
e09_asha_0	byte	E9b. Services during preg from ASHA: (0) Did not provide any services
e09_asha_1	byte	E9b. Services during preg from ASHA: (1) ANC checkup
e09_asha_2	byte	E9b. Service by woman: (2) Weight measurmnt information on adequat weight gain
e09_asha_3	byte	E9b. Services during preg from ASHA: (3) Information on diet composition
e09_asha_4	byte	E9b. Services during preg from ASHA: (4) Information on diet quantity
e09_asha_5	byte	E9b. Services during preg from ASHA: (5) Provided adult IFA tablets
e09_asha_6	byte	E9b. Services during preg from ASHA: (6) Counsellled on adult IFA tablets
e09_asha_7	byte	E9b. Services during preg from ASHA: (7) Provided adult calcium tablets
e09_asha_8	byte	E9b. Services during preg from ASHA: (8) Counsellled on adult calcium tablets
e09_asha_9	byte	E9b. Services during preg from ASHA: (9) Provided handwashing information
e09_asha_10	byte	E9b. Services during preg from ASHA: (10) Information on hygiene and sanitation
e09_asha_11	byte	E9b. Services during preg from ASHA: (11) Delivery information
e09_asha_12	byte	E9b. Services during preg from ASHA: (12) Information on JSY &JSSK
e09_asha_13	byte	E9b. Services during preg from ASHA: (13) Information on other government schemes
e09_asha_14	byte	E9b. Services during preg from ASHA: (14) Newborn care
e09_asha_15	byte	E9b. Services during preg from ASHA: (15) THR
e09_asha_16	byte	E9b. Services during preg from ASHA: (16) Consultation for illness

e09_asha_17	byte	E9b. Services during preg from ASHA: (17) Medicine/prescription
e09_asha_18	byte	E9b. Services during preg from ASHA: (18) Referral to another facility (hospital or clinic)
e09_asha_19	byte	E9b. Services during preg from ASHA: (19) Breastfeeding information
e09_asha_20	byte	E9b. Services during preg from ASHA: (20) Exercise during pregnancy
e09_asha_21	byte	E9b. Services during preg from ASHA: (21) Tetanus injection
e09_asha_95	byte	E9b. Services during preg from ASHA: (95) Other
e09_asha__99	byte	E9b. Services during preg from ASHA: (_99) Don't know
e09_aww_0	byte	E9a. Services during preg from AWW: (0) Did not provide any services
e09_aww_1	byte	E9a. Services during preg from AWW: (1) ANC checkup
e09_aww_2	byte	E9a. Service by woman: (2) Weight measurmnt information on adequat weight gain
e09_aww_3	byte	E9a. Services during preg from AWW: (3) Information on diet composition
e09_aww_4	byte	E9a. Services during preg from AWW: (4) Information on diet quantity
e09_aww_5	byte	E9a. Services during preg from AWW: (5) Provided adult IFA tablets
e09_aww_6	byte	E9a. Services during preg from AWW: (6) Counsellled on adult IFA tablets
e09_aww_7	byte	E9a. Services during preg from AWW: (7) Provided adult calcium tablets
e09_aww_8	byte	E9a. Services during preg from AWW: (8) Counsellled on adult calcium tablets
e09_aww_9	byte	E9a. Services during preg from AWW: (9) Provided handwashing information
e09_aww_10	byte	E9a. Services during preg from AWW: (10) Information on hygiene and sanitation
e09_aww_11	byte	E9a. Services during preg from AWW: (11) Delivery information
e09_aww_12	byte	E9a. Services during preg from AWW: (12) Information on JSY &JSSK
e09_aww_13	byte	E9a. Services during preg from AWW: (13) Information on other government schemes
e09_aww_14	byte	E9a. Services during preg from AWW: (14) Newborn care
e09_aww_15	byte	E9a. Services during preg from AWW: (15) THR
e09_aww_16	byte	E9a. Services during preg from AWW: (16) Consultation for illness
e09_aww_17	byte	E9a. Services during preg from AWW: (17) Medicine/prescription
e09_aww_18	byte	E9a. Services during preg from AWW: (18) Referral to another facility (hospital or clinic)
e09_aww_19	byte	E9a. Services during preg from AWW: (19) Breastfeeding information
e09_aww_20	byte	E9a. Services during preg from AWW: (20) Exercise during pregnancy
e09_aww_21	byte	E9a. Services during preg from AWW: (21) Tetanus injection
e09_aww_95	byte	E9a. Services during preg from AWW: (95) Other
e09_aww__99	byte	E9a. Services during preg from AWW: (_99) Don't know
e10_01_anm	byte	E10(1)c. Woud you say - Treats Respondent with respect: ANM
e10_01_asha	byte	E10(1)b. Woud you say - Treats Respondent with respect: ASHA
e10_01_aww	byte	E10(1)a. Woud you say - Treats Respondent with respect: AWW
e10_02_anm	byte	E10(2)c. Woud you say - Is knowledgeable about health needs during pregnancy and delivery: ANM
e10_02_asha	byte	E10(2)c. Woud you say - Is knowledgeable about health needs during pregnancy and delivery: ASHA
e10_02_aww	byte	E10(2)c. Woud you say - Is knowledgeable about health needs during pregnancy and delivery: AWW
e10_03_anm	byte	E10(3)c. Woud you say - Is knowledgeable about the health needs of babies: ANM
e10_03_asha	byte	E10(3)b. Woud you say - Is knowledgeable about the health needs of babies: ASHA
e10_03_aww	byte	E10(3)a. Woud you say - Is knowledgeable about the health needs of babies: AWW
e10_04_anm	byte	E10(4)c. Woud you say - Directs to appropriate health service providers: ANM
e10_04_asha	byte	E10(4)b. Woud you say - Directs to appropriate health service providers: ASHA
e10_04_aww	byte	E10(4)a. Woud you say - Directs to appropriate health service providers: AWW
e10_05_anm	byte	E10(5)c. Woud you say - Responds quickly to emergency situations: ANM

e10_05_asha	byte	E10(5)b. Would you say - Responds quickly to emergency situations: ASHA
e10_05_aww	byte	E10(5)a. Would you say - Responds quickly to emergency situations: AWW
e11	byte	E11. Have you heard about a fixed ANC day (PMSMA)?
e12	byte	E12. Did you ever go to the fixed ANC day?
e13_1	byte	E13. Woman accompany check-up: (1) ANM came
e13_2	byte	E13. Woman accompanied for check-up: (2) ASHA came with me
e13_3	byte	E13. Woman accompanied for check-up: (3) I went by myself
e14	byte	E14. Have you registered your last pregnancy?
e15_1	byte	E15. With whom did you register the pregnancy? : (1) ANM
e15_2	byte	E15. With whom did you register the pregnancy? : (2) ASHA
e15_3	byte	E15. With whom did you register the pregnancy? : (3) AWW
e15_95	byte	E15. With whom did you register the pregnancy? : (95) Other
e15__99	byte	E15. With whom did you register the pregnancy? : (_99) Don't know
e16	byte	E16. Have you attended Godbharai ceremony at the AWC for this pregnancy?
e17_1	byte	E17. What happened during GodBharai: (1) Given IFA
e17_2	byte	E17. What happened during GodBharai: (2) Food demonstration
e17_3	byte	E17. What happened during GodBharai: (3) Given gifts e.g. of clothes
e17_4	byte	E17. What happened during GodBharai: (4) Provided food
e17_95	byte	E17. What happened during GodBharai: (95) Other
e18	byte	E18. ANC check-up received when pregnant with child
e19_1	byte	E19. Who gave ANC check up for your pregnancy: (1) Doctor
e19_2	byte	E19. Who gave ANC check up for your pregnancy: (2) ANM
e19_3	byte	E19. Who gave ANC check up for pregnancy: (3) Nurse/ other health personnel
e19_4	byte	E19. Who gave ANC check up for your pregnancy: (4) Dai/TBA
e19_5	byte	E19. Who gave ANC check up for your pregnancy: (5) ASHA
e19_6	byte	E19. Who gave ANC check up for your pregnancy: (6) AWW
e19_95	byte	E19. Who gave ANC check up for your pregnancy: (95) Other
e19__99	byte	E19. Who gave ANC check up for your pregnancy: (_99) Don't know
e20	byte	E20. How many months pregnant were you when you first received ANC (advice/treatment) for your last pregnancy?
e21	byte	E21. How many times did you receive ANC during your last pregnancy?
e22_a	byte	E22. ANC check-up done:(A) BP Measured
e22_b	byte	E22. ANC check-up done:(B) Urine sample given
e22_c	byte	E22. ANC check-up done:(C) Blood sample
e22_d	byte	E22. ANC check-up done:(D) Abdomen checked
e22_e	byte	E22. ANC check-up done:(E) Expected delivery date told
e22_f	byte	E22. ANC check-up done:(F) Advised on hospital delivery
e22_g	byte	E22. ANC check-up done:(G) Advise on consuming diverse qty of food during pregnancy
e22_h	byte	E22. ANC check-up done:(H) Advise on IFA supplements
e22_i	byte	E22. ANC check-up done:(I) Advise on calcium supplements
e22_j	byte	E22. ANC check-up done:(J) Advise on early initiation of BF
e22_k	byte	E22. ANC check-up done:(K) Weighed
e23	byte	E23. Month of pregnancy when first weighed
e24	byte	E24. Number of times weight was measured during last pregnancy
e25	byte	E25. Weight lost, remained, gained since became pregnant
e26	float	E26. How much weight gained during pregnancy
e27	byte	E27. Do you have a maternal nutrition calendar for pregnant women?

e27_4m_ctab	byte	E27(4)c. How many tablets consumed end of month 4:(b) Calcium
e27_4m_itab	byte	E27(4)b. How many tablets consumed end of month 4:(a) Iron
e27_4m_wt	byte	E27(4)a. Weight in month 4
e27_5m_ctab	byte	E27(5)c. How many tablets consumed end of month 5:(b) Calcium
e27_5m_itab	byte	E27(5)b. How many tablets consumed end of month 5:(a) Iron
e27_5m_wt	byte	E27(5)a. Weight in month 5
e27_6m_ctab	byte	E27(6)c. How many tablets consumed end of month 6:(b) Calcium
e27_6m_itab	byte	E27(6)b. How many tablets consumed end of month 6:(a) Iron
e27_6m_wt	byte	E27(6)a. Weight in month 6
e27_7m_ctab	byte	E27(7)c. How many tablets consumed end of month 6:(b) Calcium
e27_7m_itab	byte	E27(7)b. How many tablets consumed end of month 6:(a) Iron
e27_7m_wt	byte	E27(7)a. Weight in month 7
e27_8m_ctab	byte	E27(8)c. How many tablets consumed end of month 6:(b) Calcium
e27_8m_itab	byte	E27(8)b. How many tablets consumed end of month 6:(a) Iron
e27_8m_wt	byte	E27(8)a. Weight in month 8
e27_9m_ctab	byte	E27(9)c. How many tablets consumed end of month 6:(b) Calcium
e27_9m_itab	byte	E27(9)b. How many tablets consumed end of month 6:(a) Iron
e27_9m_wt	byte	E27(9)a. Weight in month 9
e28	byte	E28. Did you receive any information about nutrition for pregnant/lactating women during your last pregnancy?
e29_1	byte	E29. Who gave nutrition info for PW/RDW : (1) ANM
e29_2	byte	E29. Who gave nutrition info for PW/RDW : (2) ASHA
e29_3	byte	E29. Who gave nutrition info for PW/RDW : (3) AWW
e29_4	byte	E29. Who gave nutrition info for PW/RDW : (4) Mother/Mother-in-law
e29_5	byte	E29. Who gave nutrition info for PW/RDW : (5) Husband
e29_6	byte	E29. Who gave nutrition info for PW/RDW : (6) Other family member
e29_7	byte	E29. Who gave nutrition info for PW/RDW : (7) Neighbor
e29_8	byte	E29. Who gave nutrition info for PW/RDW : (8) Nurse
e29_9	byte	E29. Who gave nutrition info for PW/RDW : (9) TBA (Trained Birth Attendant)
e29_10	byte	E29. Who gave nutrition info for PW/RDW : (10) Doctor
e29_95	byte	E29. Who gave nutrition info for PW/RDW : (95) Other
e29__99	byte	E29. Who gave nutrition info for PW/RDW : (_99) Don't know
e30_0	byte	E30. Topics counselled nutrition for PW : (0) Did not receive any counselling
e30_1	byte	E30. Topics counselled nutrition for PW : (1) Eat 5 variety of foods
e30_2	byte	E30. Topics counselled nutrition for PW : (2) Eat additional amount of food
e30_3	byte	E30. Topics counselled nutrition PW : (3) Increase qty milk-prdct if nt eat egg/meat
e30_4	byte	E30. Topics counselled nutrition PW : (4) Get weight checked recorded at ANC visit
e30_5	byte	E30. Topics counselled nutrition for PW : (5) How much weight to gain
e30_6	byte	E30. Topics counselled nutrition for PW : (6) How to manage nausea/vomiting
e30_7	byte	E30. Topics counselled nutrition for PW : (7) Take 1 IFA tablet daily
e30_8	byte	E30. Topics counselled nutrition for PW : (8) How to manage IFA side effects
e30_9	byte	E30. Topics counselled nutrition for PW : (9) Take 2 Calcium tablets daily
e30_10	byte	E30. Topics counselled nutrition for PW : (10) Manage calcium side effects
e30_11	byte	E30. Topics counselled nutrition for PW : (11) Avoid heavy work
e30_12	byte	E30. Topics counselled nutrition for PW : (12) Take rest between work
e30_13	byte	E30. Topics counselled nutrition PW : (13) Take 1 deworming tablet 2nd trimester
e30_14	byte	E30. Topics counselled nutrition for PW : (14) Consume leafy vegetable

e30_95	byte	E30. Topics counselled nutrition for PW : (95) Other
e30__99	byte	E30. Topics counselled nutrition for PW : (_99) Don't know
e31	byte	E31. During your last pregnancy, did anyone talk with you about eating a variety of foods
e32_0	byte	E32. Message on dietary diversity: (0) Didnt receive counselling
e32_1	byte	E32. Messages on dietary diversity: (1) Eat five different types of food
e32_2	byte	E32. Messages on dietary diversity: (2) Consume thick daal everyday
e32_3	byte	E32. Messages on dietary diversity: (3) Consume milk/product daily
e32_4	byte	E32. Messages on dietary diversity: (4) Consume leafy vegetable daily
e32_5	byte	E32. Messages on dietary diversity: (5) Consume Yellow/Orange fruit vegetable daily
e32_6	byte	E32. Messages on dietary diversity: (6) Consume Egg dly if acceptable
e32_7	byte	E32. Messages on dietary diversity: (7) Consume Fish/Meat daily
e32_8	byte	E32. Message on dietary diversity: (8) Increase qty milkprdct if nt eggs/meat
e32_9	byte	E32. Messages on dietary diversity: (9) Take nutrrious snacks 2-3 times
e32_10	byte	E32. Messages on dietary diversity during pregnancy: (10) Consume extra food
e32_11	byte	E32. Message on dietary diversity: (11) Why diff variety rqrd
e32_12	byte	E32. Messages on dietary diversity during pregnancy: (12) Consume jaggery
e32_13	byte	E32. Messages on dietary diversity during pregnancy: (13) Consume channa
e32_95	byte	E32. Messages on dietary diversity during pregnancy: (95) Other
e32__99	byte	E32. Messages on dietary diversity during pregnancy: (_99) Don't know
e33	byte	E33. During your last pregnancy, did anyone talk with you about eating increased quantities of foods?
e34_0	byte	E34. Messages received on food quantity: (0) Did not receive any counselling
e34_1	byte	E34. Messages on food qty: (1) Woman needs energy and nutrients in pregnancy
e34_2	byte	E34. Messages on food qty: (2) Incrse amt food depending demands growing fetus
e34_3	byte	E34. Messages on food qty: (3) Eat 2 complete meals everyday during 1st trimester
e34_4	byte	E34. Messages on food qty: (4) Eat 3 complete meals everyday 2nd trimester
e34_5	byte	E34. Messages on food quantity: (5) Eat 3 complete meals with 2 snack 3rd trimester
e34_6	byte	E34. Messages on food quantity: (6) Eat 3 complete meals 3 snacks lactation
e34_7	byte	E34. Messages on food quantity: (7) Why extra quantities of foods are needed
e34_8	byte	E34. Messages received on food quantity: (8) Increased food intake
e34_95	byte	E34. Messages received on food quantity: (95) Other
e34__99	byte	E34. Messages received on food quantity: (_99) Don't know
e35_0	byte	E35. Messages on taking rest: (0) Did not receive any counselling
e35_1	byte	E35. Messages on taking rest: (1) During pregnancy woman should take rest 2h after lunch
e35_2	byte	E35. Messages on taking rest: (2) During pregnancy woman should sleep 8h at night
e35_3	byte	E35. Messages on taking rest: (3) During rest lie on left improve blood supply to foetus
e35_4	byte	E35. Messages on taking rest: (4) Taking rest imp for the growth of the baby
e35_5	byte	E35. Message on taking rest: (5) Taking rest improve weight gain of the mother
e35_6	byte	E35. Message on taking rest: (6) Avoid hard work such as lifting heavy weight.
e35_7	byte	E35. Messages on taking rest: (7) Take some rest
e35_95	byte	E35. Messages on taking rest: (95) Other
e35__99	byte	E35. Messages on taking rest: (_99) Don't know
e36_0	byte	E36. Messages on weight gain: (0) Did not receive any counselling
e36_1	byte	E36. Messages on weight gain: (1) Weigh yourself regularly
e36_2	byte	E36. Messages on weight gain: (2) Record weight in MCP card
e36_3	byte	E36. Message on wt gain: (3) Women should gain 1.5-2 kg/month from 4th mnth
e36_4	byte	E36. Messages on weight gain: (4) A woman should gain 9-11kg weight pregnancy

e36_5	byte	E36. Messages on weight gain: (5) Gaining weight indicates proper growth fetus
e36_6	byte	E36. Message on wt gain: (6) Gaining wt indicate mother taking adequate food
e36_7	byte	E36. Messages on weight gain: (7) Dont gain much wt problems during delivery
e36_95	byte	E36. Messages on weight gain: (95) Other
e36__99	byte	E36. Messages on weight gain: (_99) Don't know
e37_0	byte	E37. Messages on IFA tablets: (0) Did not receive any counselling
e37_1	byte	E37. Messages on IFA tablets: (1) Take 1 tablet daily during pregnancy
e37_2	byte	E37. Messages on IFA tablets: (2) Take 180 IFA tablets during pregnancy
e37_3	byte	E37. Messages on IFA tablets: (3) Continue take 1 tab/day till 6m postpartum
e37_4	byte	E37. Messages on IFA tablets: (4) Take IFA with water or lemon water
e37_5	byte	E37. Messages on IFA tablets: (5) Do not take IFA with tea or milk
e37_6	byte	E37. Message on IFA tabs: (6) Take IFA at night before bed time/after dinner
e37_7	byte	E37. Messages on IFA tablets: (7) Do not take IFA and calcium together
e37_8	byte	E37. Messages on IFA tablets: (8) Do not take IFA tablet on an empty stomach
e37_9	byte	E37. Messages on IFA tablets: (9) How to remind take one tablet daily
e37_10	byte	E37. Messages on IFA tablets: (10) IFA prevents anemia
e37_11	byte	E37. Messages on IFA tablets: (11) IFA reduces risk of low birth weight baby
e37_12	byte	E37. Messages on IFA tablets: (12) IFA reduces risk of maternal death
e37_13	byte	E37. Message on IFA tabs: (13) IFA ensures the best development of the child
e37_14	byte	E37. Message on IFA tabs: (14) IFA reduce complication pregnancy and birth
e37_15	byte	E37. Messages on IFA tablets: (15) Information related to side effects
e37_16	byte	E37. Message on IFA tabs: (16) Increase intake fruits veg avoid constipation
e37_17	byte	E37. Messages on IFA tablets: (17) Consume IFA tablets
e37_95	byte	E37. Messages on IFA tablets: (95) Other
e37__99	byte	E37. Messages on IFA tablets: (_99) Don't know
e38_0	byte	E38. Messages on calcium tablets: (0) Did not receive any counselling
e38_1	byte	E38. Message on calcium tabs: (1) Take 1- 2 tablets daily during pregnancy
e38_2	byte	E38. Message on calcium tabs: (2) Take 360 calcium tablets during pregnancy
e38_3	byte	E38. Message on calcium tabs: (3) Continuetake 1-2 tab/day till 6m postpartum
e38_4	byte	E38. Message on calcium tabs: (4) Do not take IFA calcium tablets together
e38_5	byte	E38. Messages on calcium tablets: (5) Do not take calcium tab empty stomach
e38_6	byte	E38. Message on calcium tabs: (6) Take cal tab after breakfst 2nd with lunch
e38_7	byte	E38. Message on calcium tabs: (7) Calcium helps in dev of bone and teeth baby
e38_8	byte	E38. Message on calcium tabs: (8) Calcium reduce risk high BP body swelling etc
e38_9	byte	E38. Messages on calcium tablets: (9) How to remind take one tablet daily
e38_10	byte	E38. Messages on calcium tablets: (10) Consume calcium tablets
e38_95	byte	E38. Messages on calcium tablets: (95) Other
e38__99	byte	E38. Messages on calcium tablets: (_99) Don't know
e39_0	byte	E39. Messages on BF: (0) Did not receive any counselling
e39_1	byte	E39. Messages on BF: (1) Initiate breastfeeding within the first hour of birth
e39_2	byte	E39. Messages on BF: (2) BF within 1 hour can save baby's life
e39_3	byte	E39. Messages on BF: (3) BFwithin 1 hour can reduce mothers bleeding
e39_4	byte	E39. Messages on BF: (4) Early initiation help milk to come in more quickly
e39_5	byte	E39. Messages on BF: (5) Feed colostrum
e39_6	byte	E39. Messages on BF: (6) Do not put anything in child's mouth after birth
e39_7	byte	E39. Messages on BF: (7) Feed only breastmilk to child for 6m birth
e39_8	byte	E39. Messages on BF: (8) Breastmilk has plenty of water

e39_9	byte	E39. Messages on BF: (9) Good position BF can ensure breastmilk supply for 6m
e39_10	byte	E39. Messages on BF: (10) Frequent BF giving baby time to finish feeding ensure plenty of breastmilk supply for 6 months
e39_11	byte	E39. Messages on BF: (11) Feeding baby water etc dangerous reduce bmilk supply
e39_12	byte	E39. Messages on BF: (12) Feeding with bottle is dangerous
e39_13	byte	E39. Messages on BF: (13) Feed express breast milk if the mother goes out for long time
e39_14	byte	E39. Messages on BF: (14) Burp the baby after feeding
e39_95	byte	E39. Messages on BF: (95) Other
e39__99	byte	E39. Messages on BF: (_99) Don't know
e40_0	byte	E40. Mesasges on hygiene: (0) Did not receive any counselling
e40_1	byte	E40. Mesasges on hygiene: (1) Wash hand with soap after using toilet
e40_2	byte	E40. Mesasges on hygiene: (2) Wash hand with soap after cleaning feces
e40_3	byte	E40. Mesasges on hygiene: (3) Wash your hands with soap before preparing food
e40_4	byte	E40. Messasge on hygiene: (4) Wash your hands with soap before eating
e40_5	byte	E40. Mesasges on hygiene: (5) Maintain water soap near place of eating meals
e40_6	byte	E40. Mesasges on hygiene: (6) Do not walk around barefoot
e40_7	byte	E40. Mesasges on hygiene: (7) Use vegetables fruits only after washed well
e40_8	byte	E40. Messasge on hygiene: (8) Drinking water should be kept covered
e40_9	byte	E40. Mesasges on hygiene: (9) Do not go to the toilet in the open
e40_10	byte	E40. Mesasges on hygiene: (10) Wash hands after cleaning the house
e40_11	byte	E40. Mesasges on hygiene: (11) Wash hands before holding the child
e40_95	byte	E40. Mesasges on hygiene: (95) Other
e40__99	byte	E40. Mesasges on hygiene: (_99) Don't know
e41_0	byte	E41. Messages on taking deworming tablets: (0) Did not receive any counselling
e41_1	byte	E41. Messages on taking deworming tablets: (1) During the first trimester
e41_2	byte	E41. Messages on taking deworming tablets: (2) During the second trimester
e41_3	byte	E41. Messages on taking deworming tablets: (3) During the third trimester
e41_95	byte	E41. Messages on taking deworming tablets: (95) Other
e41__99	byte	E41. Messages on taking deworming tablets: (_99) Don't know
e42	byte	E42. Did you take deworming medicine during your last pregnancy?
extra_w02_t1_c	byte	W2a. Is it possible to take the weight and height of child?
f01_cal	byte	F1b. Calcium tablets bought or recived
f01_ifa	byte	F1a. IFA tablets bought or recived
f02_cal_1	byte	F2b. Tablets taken from: (1) Government Doctor
f02_cal_2	byte	F2b. Tablets taken from: (2) ANM
f02_cal_3	byte	F2b. Tablets taken from: (3) Nurse/ other health personnel
f02_cal_4	byte	F2b. Tablets taken from: (4) Dai/TBA
f02_cal_5	byte	F2b. Tablets taken from: (5) ASHA
f02_cal_6	byte	F2b. Tablets taken from: (6) AWW
f02_cal_7	byte	F2b. Tablets taken from: (7) Private MBBS qualified doctor
f02_cal_8	byte	F2b. Tablets taken from: (8) Local non-MBBS/ vaid etc
f02_cal_9	byte	F2b. Tablets taken from: (9) Local chemist
f02_cal_95	byte	F2b. Tablets taken from: (95) Other
f02_cal__99	byte	F2b. Tablets taken from: (_99) Don't know
f02_ifa_1	byte	F2a. Tablets taken from: (1) Government Doctor
f02_ifa_2	byte	F2a. Tablets taken from: (2) ANM
f02_ifa_3	byte	F2a. Tablets taken from: (3) Nurse/ other health personnel

f02_ifa_4	byte	F2a. Tablets taken from: (4) Dai/TBA
f02_ifa_5	byte	F2a. Tablets taken from: (5) ASHA
f02_ifa_6	byte	F2a. Tablets taken from: (6) AWW
f02_ifa_7	byte	F2a. Tablets taken from: (7) Private MBBS qualified doctor
f02_ifa_8	byte	F2a. Tablets taken from: (8) Local non-MBBS/ vaid etc
f02_ifa_9	byte	F2a. Tablets taken from: (9) Local chemist
f02_ifa_95	byte	F2a. Tablets taken from: (95) Other
f02_ifa__99	byte	F2a. Tablets taken from: (_99) Don't know
f03_cal	byte	F3(B). Calcium tablet/tonic/syrup bought or received for free
f03_ifa	byte	F3(A). IFA tablet/tonic/syrup bought or received for free
f04_cal_syrup	byte	F4(B). Calcium bought/ got free during last pregnancy:(b) Number of tablets/dose
f04_cal_tab	int	F4(B). Calcium bought/ got free during last pregnancy:(a) Number of syrup/tonic bottles
f04_ifa_syrup	byte	F4(A). IFA bought/ got free during last pregnancy:(b) Number of syrup/tonic bottles
f04_ifa_tab	int	F4(A). IFA bought/ got free during last pregnancy:(a) Number of tablets/doses
f05_cal_syrup	byte	F5(B). Calcium got free of cost during last pregnancy:(b) Number of tablets/dose
f05_cal_tab	int	F5(B). Calcium got free of cost during last pregnancy:(a) Number of syrup/tonic bottles
f05_ifa_syrup	byte	F5(A). IFA got free of cost during last pregnancy:(b) Number of syrup/tonic bottles
f05_ifa_tab	int	F5(A). IFA got free of cost during last pregnancy:(a) Number of tablets/doses
f06_cal	byte	F6(B). Tablets consumed during last pregnancy:(b) Calcium
f06_ifa	byte	F6(A). Tablets consumed during last pregnancy:(a) Iron
f07_cal_1	byte	F7b. Why CA not taken: (1) Never heard about them
f07_cal_2	byte	F7b. Why CA not taken: (2) Don't know what they are for
f07_cal_3	byte	F7b. Why CA not taken: (3) Don't have supply/never received
f07_cal_4	byte	F7b. Why CA not taken: (4) Possible side effects
f07_cal_95	byte	F7b. Why CA not taken: (95) Other
f07_ifa_1	byte	F7a. Why IFA not taken: (1) Never heard about them
f07_ifa_2	byte	F7a. Why IFA not taken: (2) Don't know what they are for
f07_ifa_3	byte	F7a. Why IFA not taken: (3) Don't have supply/never received
f07_ifa_4	byte	F7a. Why IFA not taken: (4) Possible side effects
f07_ifa_95	byte	F7a. Why IFA not taken: (95) Other
f08_cal_syrup	byte	F8(B)b. Number of syrup/tonic bottles
f08_cal_tab	int	F8(B)a. Number of tablets/doses
f08_ifa_syrup	byte	F8(A)b. Number of syrup/tonic bottles
f08_ifa_tab	int	F8(A)a. Number of tablets/doses
f09_cal_1	byte	F9b. When CA taken: (1) In the morning, before breakfast
f09_cal_2	byte	F9b. When CA taken: (2) In the morning, with breakfast
f09_cal_3	byte	F9b. When CA taken: (3) At noon
f09_cal_4	byte	F9b. When CA taken: (4) At night, before dinner
f09_cal_5	byte	F9b. When CA taken: (5) At night, with dinner
f09_cal_6	byte	F9b. When CA taken: (6) No fix time
f09_ifa_1	byte	F9a. When IFA taken: (1) In the morning, before breakfast
f09_ifa_2	byte	F9a. When IFA taken: (2) In the morning, with breakfast
f09_ifa_3	byte	F9a. When IFA taken: (3) At noon
f09_ifa_4	byte	F9a. When IFA taken: (4) At night, before dinner
f09_ifa_5	byte	F9a. When IFA taken: (5) At night, with dinner
f09_ifa_6	byte	F9a. When IFA taken: (6) No fix time
f10	byte	F10. Do you take IFA and Calcium together or separately?

f11_cal	byte	F11(B). Food and liquid taken with tablet: Calcium
f11_ifa	byte	F11(A). Food and liquid taken with tablet: Iron
f12_cal	byte	F12(B). Noted number of tablets taken during pregnancy: Calcium
f12_ifa	byte	F12(A). Noted number of tablets taken during pregnancy: Iron
f13_cal	byte	F13(B). Family member reminded to take tablet: Calcium
f13_ifa	byte	F13(A). Family member reminded to take tablet: Iron
f14_cal_1	byte	F14b. Who reminds taking CA tablet: (1) Husband
f14_cal_2	byte	F14b. Who reminds taking CA tablet: (2) Mother/Mother-in law
f14_cal_3	byte	F14b. Who reminds taking CA tablet: (3) Father/Father-in-law
f14_cal_4	byte	F14b. Who reminds taking CA tablet: (4) Brother-in-law
f14_cal_5	byte	F14b. Who reminds taking CA tablet: (5) Sister-in-law
f14_cal_6	byte	F14b. Who reminds taking CA tablet: (6) Daughter
f14_cal_95	byte	F14b. Who reminds taking CA tablet: (95) Other
f14_ifa_1	byte	F14a. Who reminds taking IFA tablet: (1) Husband
f14_ifa_2	byte	F14a. Who reminds taking IFA tablet: (2) Mother/Mother-in law
f14_ifa_3	byte	F14a. Who reminds taking IFA tablet: (3) Father/Father-in-law
f14_ifa_4	byte	F14a. Who reminds taking IFA tablet: (4) Brother-in-law
f14_ifa_5	byte	F14a. Who reminds taking IFA tablet: (5) Sister-in-law
f14_ifa_6	byte	F14a. Who reminds taking IFA tablet: (6) Daughter
f14_ifa_95	byte	F14a. Who reminds taking IFA tablet: (95) Other
f15_cal	byte	F15(B). Family member help buy tablets not available ANM/health cntr:Calcium
f15_ifa	byte	F15(A). Family member help buy tablets not available ANM/health cntr:Iron
f16_cal_1	byte	F16b. Who gives tablet if not ANM/health centre: (1) Husband
f16_cal_2	byte	F16b. Who gives tablet if not ANM/health centre: (2) Mother/Mother-in law
f16_cal_3	byte	F16b. Who gives tablet if not ANM/health centre: (3) Father/Father-in-law
f16_cal_4	byte	F16b. Who gives tablet if not ANM/health centre: (4) Brother-in-law
f16_cal_5	byte	F16b. Who gives tablet if not ANM/health centre: (5) Sister-in-law
f16_cal_6	byte	F16b. Who gives tablet if not ANM/health centre: (6) Daughter
f16_cal_95	byte	F16b. Who gives tablet if not ANM/health centre: (95) Other
f16_ifa_1	byte	F16a. Who gives tablet if not ANM/health centre: (1) Husband
f16_ifa_2	byte	F16a. Who gives tablet if not ANM/health centre: (2) Mother/Mother-in law
f16_ifa_3	byte	F16a. Who gives tablet if not ANM/health centre: (3) Father/Father-in-law
f16_ifa_4	byte	F16a. Who gives tablet if not ANM/health centre: (4) Brother-in-law
f16_ifa_5	byte	F16a. Who gives tablet if not ANM/health centre: (5) Sister-in-law
f16_ifa_6	byte	F16a. Who gives tablet if not ANM/health centre: (6) Daughter
f16_ifa_95	byte	F16a. Who gives tablet if not ANM/health centre: (95) Other
f17_cal	byte	F17(B). Side effects after taking tablets/doses:(Calcium) Calcium
f17_ifa	byte	F17(A). Side effects after taking tablets/doses:(IFA) Iron
f18_cal_1	byte	F18b. Side effects of CA: (1) Constipation
f18_cal_2	byte	F18b. Side effects of CA: (2) Swelling of abdominal area
f18_cal_3	byte	F18b. Side effects of CA: (3) Gas
f18_cal_4	byte	F18b. Side effects of CA: (4) Causes irritation/allergy
f18_cal_5	byte	F18b. Side effects of CA: (5) Metallic taste
f18_cal_6	byte	F18b. Side effects of CA: (6) Nausea/Vomiting
f18_cal_7	byte	F18b. Side effects of CA: (7) Discolouration of stools (blackish)
f18_cal_95	byte	F18b. Side effects of CA: (95) Other
f18_cal__99	byte	F18b. Side effects of CA: (_99) Don't know

f18_ifa_1	byte	F18a. Side effects of IFA: (1) Constipation
f18_ifa_2	byte	F18a. Side effects of IFA: (2) Swelling of abdominal area
f18_ifa_3	byte	F18a. Side effects of IFA: (3) Gas
f18_ifa_4	byte	F18a. Side effects of IFA: (4) Causes irritation/allergy
f18_ifa_5	byte	F18a. Side effects of IFA: (5) Metallic taste
f18_ifa_6	byte	F18a. Side effects of IFA: (6) Nausea/Vomiting
f18_ifa_7	byte	F18a. Side effects of IFA: (7) Discolouration of stools (blackish)
f18_ifa_95	byte	F18a. Side effects of IFA: (95) Other
f18_ifa__99	byte	F18a. Side effects of IFA: (_99) Don't know
f19_cal_0	byte	F19b. How you manage CA side effects: (0) Don't do anything
f19_cal_1	byte	F19b. How you manage CA side effects: (1) Drink more water
f19_cal_2	byte	F19b. How you manage CA side effects: (2) Eating more fruits
f19_cal_3	byte	F19b. How you manage CA side effects: (3) Eating more vegetables
f19_cal_4	byte	F19b. How you manage CA side effects: (4) Changing the time to take tablets
f19_cal_5	byte	F19b. How you manage CA side effects: (5) Take only at bed time
f19_cal_6	byte	F19b. How you manage CA side effects: (6) Stopped taking the tablets
f19_cal_7	byte	F19b. How you manage CA side effects: (7) Sought advice from ANM, ASHA, AWW
f19_cal_95	byte	F19b. How you manage CA side effects: (95) Other
f19_ifa_0	byte	F19a. How you manage IFA side effects: (0) Don't do anything
f19_ifa_1	byte	F19a. How you manage IFA side effects: (1) Drink more water
f19_ifa_2	byte	F19a. How you manage IFA side effects: (2) Eating more fruits
f19_ifa_3	byte	F19a. How you manage IFA side effects: (3) Eating more vegetables
f19_ifa_4	byte	F19a. How you manage IFA side effects: (4) Changing the time to take tablets
f19_ifa_5	byte	F19a. How you manage IFA side effects: (5) Take only at bed time
f19_ifa_6	byte	F19a. How you manage IFA side effects: (6) Stopped taking the tablets
f19_ifa_7	byte	F19a. How you manage IFA side effects: (7) Sought advice from ANM, ASHA, AWW
f19_ifa_95	byte	F19a. How you manage IFA side effects: (95) Other
f20_cal	byte	F20(B). Did you take supplement yesterday: Calcium
f20_ifa	byte	F20(A). Did you take supplement yesterday: IFA
f21_cal	byte	F21(B). How many tablets of supplement taken yesterday: Calcium
f21_ifa	byte	F21(A). How many tablets of supplement taken yesterday: IFA
g01	byte	G1. Where did you give birth to this child?
g02_1	byte	G02. Why did you NOT deliver at health facility: (1) Costs too much
g02_2	byte	G02. Why did you NOT deliver at health facility: (2) Health Facility closed
g02_3	byte	G02. Why did you NOT deliver at health facility: (3) Too far/no transportation
g02_4	byte	G02. Why did you NOT deliver at health facility: (4) Don't trust facility
g02_5	byte	G02. Why did you NOT deliver at health facility: (5) Poor quality of service
g02_6	byte	G02. Why NOT deliver at health facility: (6) No female provider/facility
g02_7	byte	G02. Why NOT deliver at health facility: (7) Husband/ family not allow
g02_8	byte	G02. Why did you NOT deliver at health facility: (8) Security concerns
g02_9	byte	G02. Why did you NOT deliver at health facility: (9) Not customary
g02_10	byte	G02. Why NOT deliver health facility: (10) Child born bfr reaching facility
g02_15	float	G02. Why did you NOT deliver at health facility: (15) Premature Delivery
g02_16	float	G02. Why did you NOT deliver at health facility: (16) No one was at home
g02_17	float	G02. Why did you NOT deliver at health facility: (17) Asha was called, she didn't
g02_18	float	G02. Why did you NOT deliver at health facility: (18) No need to go
g02_19	float	G02. Why did you NOT deliver at health facility: (19) No Time

g02_20	float	G02. Why did you NOT deliver at health facility: (20) Happened at home
g02_21	float	G02. Why did you NOT deliver at health facility: (21) Feeling shy
g02_22	float	G02. Why did you NOT deliver at health facility: (22) Nurse Refused
g02_23	float	G02. Why did you NOT deliver at health facility: (23) Became Late
g02_24	float	G02. Why did you NOT deliver at health facility: (24) Due To rain fall
g02_95	byte	G02. Why did you NOT deliver at health facility: (95) Other
g02__99	float	G02. Why did you NOT deliver at health facility: (_99) Don't know
g03	byte	G3. Did you go to your maternal home when you were pregnant?
g04	byte	G4. At what month of pregnancy did you go to your maternal home?
g05	int	G5. How much did you pay at the hospital (stay and medicines)?
g06	int	G6. How much did you pay (including tips) the nurse/dai?
g07_1	byte	G07. Who helped you during delivery: (1) ANM
g07_2	byte	G07. Who helped you during delivery: (2) ASHA
g07_3	byte	G07. Who helped you during delivery: (3) AWW
g07_4	byte	G07. Who helped you during delivery: (4) Family member
g07_5	byte	G07. Who helped you during delivery: (5) Neighbor
g07_6	byte	G07. Who helped you during delivery: (6) Nurse
g07_7	byte	G07. Who helped you during delivery: (7) TBA (Trained Birth Attendant)
g07_8	byte	G07. Who helped you during delivery: (8) Doctor
g07_95	byte	G07. Who helped you during delivery: (95) Other
g07__66	byte	G07. Who helped you during delivery: (_66) None
g07__99	byte	G07. Who helped you during delivery: (_99) Don't know
g08	byte	G8. Child delivered by caesarian
g09	byte	G9. Was child weighed immediately after the birth
g10	float	G10. What was the weight of the baby?
g11	byte	G11. Size of child at birth
g12	float	G12. How far is the facility where you delivered from your house?
g13	byte	G13. How did you get to the hospital for delivery?
g14	int	G14. How much money did you pay for transport to the hospital?
g15	int	G15. How much money did you pay for transport to come home from the hospital?
g16	byte	G16. Was a doctor/nurse/ANM available when you went to the health facility?
g17	byte	G17. Health facility has functional electricity
g18	byte	G18. Health facility has any water supply
g19	byte	G19. Adequate space in room
g20	byte	G20. Adequate space in room when stayed after delivery
g21	byte	G21. Examination areas clean
g22	byte	G22. Toilet clean
g23	byte	G23. Privacy during examination
g24	byte	G24. Privacy during delivery
g25	byte	G25. Agree - The doctor/nurse/ANM responded to you when you had any problems during your stay at the hospital, do you agree or disagree with this
g26	byte	G26. Agree - The doctor/nurse/ANM were respectful to you and your family Do you agree or disagree with this
g27	byte	G27. Agree - You were satisfied/happy with the way the doctor/nurse/ANM treated
g28	byte	G28. Agree - Did anyone help you with placing the baby on your stomach/breast ju
g29_1	byte	G29. Who helped with placing baby on stomach: (1) ANM
g29_2	byte	G29. Who helped with placing baby on stomach: (2) ASHA

g29_3	byte	G29. Who helped with placing baby on stomach: (3) AWW
g29_4	byte	G29. Who helped with placing baby on stomach: (4) Mother/Mother-in-law
g29_5	byte	G29. Who helped with placing baby on stomach: (5) Husband
g29_6	byte	G29. Who helped with placing baby on stomach: (6) Other family member
g29_7	byte	G29. Who helped with placing baby on stomach: (7) Neighbor
g29_8	byte	G29. Who helped with placing baby on stomach: (8) Nurse
g29_9	byte	G29. Who helped with placing baby on stomach: (9) Doctor
g29_95	byte	G29. Who helped with placing baby on stomach: (95) Other
g30_1	byte	G30. What did they do about BF: (1) Place baby on mother chest aftr delivering
g30_2	byte	G30. What did they do about BF: (2) Cleaned baby mouth with oil etc
g30_3	byte	G30. What did they do about BF: (3) Told BF the child within 1 hour of birth
g30_4	byte	G30. What did they do about BF: (4) Didnt give & advised not give honey water etc
g30_5	byte	G30. What did they do about BF: (5) Showed right way of positioning
g30_6	byte	G30. What did they do about BF: (6) Helped to place the baby on the breast
g30_7	byte	G30. What did they do about BF: (7) Helped her breastfeed
g30_95	byte	G30. What did they do about BF: (95) Other
g31_anm_no	int	G31(C). How many days or weeks after the delivery,did ANM visit first:(a) Number
g31_anm_unit	byte	G31(C). How many days or weeks after the delivery,did ANM visit first:(b) Unit
g31_asha_no	int	G31(B). How many days or weeks after the delivery,did ASHA visit first:(a) Number
g31_asha_unit	byte	G31(B). How many days or weeks after the delivery,did ASHA visit first:(b) Unit
g31_aww_no	int	G31(A). How many days or weeks after the delivery,did AWW visit first:(a) Number
g31_aww_unit	byte	G31(A). How many days or weeks after the delivery,did AWW visit first:(b) Unit
g31_ohp_no	int	G31(D). How many days or weeks after the delivery,did Others visit:(a) Number
g31_ohp_unit	byte	G31(D). How many days or weeks after the delivery,did Others visit:(b) Unit
g32_anm	byte	G32(C). How many times did ANM visit during the first 6 weeks after birth:() Number
g32_asha	byte	G32(B). How many times did ASHA visit during the first 6 weeks after birth:() Unit
g32_aww	byte	G32(A). How many times did AWW visit during the first 6 weeks after birth:() Number
g32_ohp	byte	G32(D). How many time Other health worker visit during 1st 6 weeks after birth
g33_anm_0	byte	G33. ANM activities related to BF in first 6-weeks: (0) Didnt do anything about
g33_anm_1	byte	G33. ANM activities related to BF in first 6-weeks: (1) Observed breastfeeding
g33_anm_2	byte	G33. ANM activities related to BF in first 6-weeks: (2) Showed how correctly position or attach baby
g33_anm_3	byte	G33. ANM activities related to BF in first 6-weeks: (3) Helped mother sit comfortably for breastfeeding
g33_anm_4	byte	G33. ANM activities related to BF in first 6-weeks: (4) Checked if baby suckling and swallowing breastmilk
g33_anm_5	byte	G33. ANM activities related to BF in first 6-weeks: (5) Talked family about not giving anything other than breastmilk, not even water for 6 months
g33_anm_6	byte	G33. ANM activities related to BF in first 6-weeks: (6) Talked to family about to help mother with housework so that she can take anough time to breastfeed baby
g33_anm_95	byte	G33. ANM activities related to BF in first 6-weeks: (95) Other
g33_asha_0	byte	G33. ASHA activities related to BF in first 6-weeks: (0) Didnt do anything about
g33_asha_1	byte	G33. ASHA activities related to BF in first 6-weeks: (1) Observed breastfeeding
g33_asha_2	byte	G33. ASHA activities related to BF in first 6-weeks: (2) Showed how correctly position or attach baby
g33_asha_3	byte	G33. ASHA activities related to BF in first 6-weeks: (3) Helped mother sit comfortably for breastfeeding

g33_asha_4	byte	G33. ASHA activities related to BF in first 6-weeks: (4) Checked if baby suckling and swallowing breastmilk
g33_asha_5	byte	G33. ASHA activities related to BF in first 6-weeks: (5) Talked family about not giving anything other than breastmilk, not even water for 6 months
g33_asha_6	byte	G33. ASHA activities related to BF in first 6-weeks: (6) Talked to family about help mother with housework so that she can take enough time to breastfeed baby
g33_asha_95	byte	G33. ASHA activities related to BF in first 6-weeks: (95) Other
g33_aww_0	byte	G33. AWW activities related to BF in first 6-weeks: (0) Didn't do anything about
g33_aww_1	byte	G33. AWW activities related to BF in first 6-weeks: (1) Observed breastfeeding
g33_aww_2	byte	G33. AWW activities related to BF in first 6-weeks: (2) Showed how correctly position or attach baby
g33_aww_3	byte	G33. AWW activities related to BF in first 6-weeks: (3) Helped mother sit comfortably for breastfeeding
g33_aww_4	byte	G33. AWW activities related to BF in first 6-weeks: (4) Checked if baby suckling and swallowing breastmilk
g33_aww_5	byte	G33. AWW activities related to BF in first 6-weeks: (5) Talked family about not giving anything other than breastmilk, not even water for 6 months
g33_aww_6	byte	G33. AWW activities related to BF in first 6-weeks: (6) Talked to family about help mother with housework so that she can take enough time to breastfeed baby
g33_aww_95	byte	G33. AWW activities related to BF in first 6-weeks: (95) Other
g33_ohp_0	byte	G33. Other workers activities related to BF in first 6-weeks: (0) Didn't do anything about
g33_ohp_1	byte	G33. Other workers activities related to BF in first 6-weeks: (1) Observed breastfeeding
g33_ohp_2	byte	G33. Other workers activities related to BF in first 6-weeks: (2) Showed how correctly position or attach baby
g33_ohp_3	byte	G33. Other workers activities related to BF in first 6-weeks: (3) Helped mother sit comfortably for breastfeeding
g33_ohp_4	byte	G33. Other workers activities related to BF in first 6-weeks: (4) Checked if baby suckling and swallowing breastmilk
g33_ohp_5	byte	G33. Other workers activities related to BF in first 6-weeks: (5) Talked family about not giving anything other than breastmilk, not even water for 6 months
g33_ohp_6	byte	G33. Other workers activities related to BF in first 6-weeks: (6) Talked to family about help mother with housework so that she can take enough time to breastfeed baby
g33_ohp_95	byte	G33. Other workers activities related to BF in first 6-weeks: (95) Other
g34_anm_0	byte	G34. ANM gave info in first 6-weeks: (0) Did not provide any service
g34_anm_1	byte	G34. ANM gave info in first 6-weeks: (1) Advice to take 1 IFA daily
g34_anm_2	byte	G34. ANM gave info in first 6-weeks: (2) Advice take 1-2 cal dly until 6m
g34_anm_3	byte	G34. ANM gave info in first 6-weeks: (3) Advice on handwashing
g34_anm_4	byte	G34. ANM gave info in first 6-weeks: (4) Information about danger signs mother
g34_anm_5	byte	G34. ANM gave info in first 6-weeks: (5) Information about danger sign newborn
g34_anm_6	byte	G34. ANM gave info in first 6-weeks: (6) Advice on how keep baby warm
g34_anm_7	byte	G34. ANM gave info in first 6-weeks: (7) Advice on deal with BF difficulties of breastfeeding
g34_anm_8	byte	G34. ANM gave info in first 6-weeks: (8) No bottle-feeding
g34_anm_9	byte	G34. ANM gave info in first 6-weeks: (9) Information whom to contact if difficulties with breastfeeding
g34_anm_10	byte	G34. ANM gave info in first 6-weeks: (10) Information whom to contact if child falls sick
g34_anm_11	byte	G34. ANM gave info in first 6-weeks: (11) Weight of the child
g34_anm_12	byte	G34. ANM gave info in first 6-weeks: (12) Information on diet composition

g34_anm_13	byte	G34. ANM gave info in first 6-weeks: (13) Information on diet quantity
g34_anm_14	byte	G34. ANM gave info in first 6-weeks: (14) Provided adult IFA tablets
g34_anm_15	byte	G34. ANM gave info in first 6-weeks: (15) Provided adult calcium tablets
g34_anm_16	byte	G34. ANM gave info in first 6-weeks: (16) Immunization
g34_anm_17	byte	G34. ANM gave info in first 6-weeks: (17) THR
g34_anm_18	byte	G34. ANM gave info in first 6-weeks: (18) Medicine/prescription
g34_anm_19	byte	G34. ANM gave info in first 6-weeks: (19) Referral to another facility
g34_anm_20	byte	G34. ANM gave info in first 6-weeks: (20) Complementary feeding information
g34_anm_21	byte	G34. ANM gave info in first 6-weeks: (21) Family planning advice
g34_anm_22	byte	G34. ANM gave info in first 6-weeks: (22) Provide contraceptive
g34_anm_23	byte	G34. ANM gave info in first 6-weeks: (23) Diarrhea management
g34_anm_24	byte	G34. ANM gave info in first 6-weeks: (24) Weighed the baby
g34_anm_95	byte	G34. ANM gave info in first 6-weeks: (95) Other
g34_anm__99	byte	G34. ANM gave info in first 6-weeks: (99) Don't know
g34_asha_0	byte	G34. ASHA gave info in first 6-weeks: (0) Did not provided any service
g34_asha_1	byte	G34. ASHA gave info in first 6-weeks: (1) Advice to take 1 IFA daily
g34_asha_2	byte	G34. ASHA gave info in first 6-weeks: (2) Advice take 1-2 cal dly until 6m
g34_asha_3	byte	G34. ASHA gave info in first 6-weeks: (3) Advice on handwashing
g34_asha_4	byte	G34. ASHA gave info in first 6-weeks: (4) Information about danger signs mother
g34_asha_5	byte	G34. ASHA gave info in first 6-weeks: (5) Information about danger sign newborn
g34_asha_6	byte	G34. ASHA gave info in first 6-weeks: (6) Advice on how keep baby warm
g34_asha_7	byte	G34. ASHA gave info in first 6-weeks: (7) Advice on deal with BF difficulties of breastfeeding
g34_asha_8	byte	G34. ASHA gave info in first 6-weeks: (8) No bottle-feeding
g34_asha_9	byte	G34. ASHA gave info in first 6-weeks: (9) Information whom to contact if difficulties with breastfeeding
g34_asha_10	byte	G34. ASHA gave info in first 6-weeks: (10) Information whom to contact if child falls sick
g34_asha_11	byte	G34. ASHA gave info in first 6-weeks: (11) Weight of the child
g34_asha_12	byte	G34. ASHA gave info in first 6-weeks: (12) Information on diet composition
g34_asha_13	byte	G34. ASHA gave info in first 6-weeks: (13) Information on diet quantity
g34_asha_14	byte	G34. ASHA gave info in first 6-weeks: (14) Provided adult IFA tablets
g34_asha_15	byte	G34. ASHA gave info in first 6-weeks: (15) Provided adult calcium tablets
g34_asha_16	byte	G34. ASHA gave info in first 6-weeks: (16) Immunization
g34_asha_17	byte	G34. ASHA gave info in first 6-weeks: (17) THR
g34_asha_18	byte	G34. ASHA gave info in first 6-weeks: (18) Medicine/prescription
g34_asha_19	byte	G34. ASHA gave info in first 6-weeks: (19) Referral to another facility
g34_asha_20	byte	G34. ASHA gave info in first 6-weeks: (20) Complementary feeding information
g34_asha_21	byte	G34. ASHA gave info in first 6-weeks: (21) Family planning advice
g34_asha_22	byte	G34. ASHA gave info in first 6-weeks: (22) Provide contraceptive
g34_asha_23	byte	G34. ASHA gave info in first 6-weeks: (23) Diarrhea management
g34_asha_24	byte	G34. ASHA gave info in first 6-weeks: (24) Weighed the baby
g34_asha_95	byte	G34. ASHA gave info in first 6-weeks: (95) Other
g34_asha__99	byte	G34. ASHA gave info in first 6-weeks: (99) Don't know
g34_aww_0	byte	G34. AWW gave info in first 6-weeks: (0) Did not provided any service
g34_aww_1	byte	G34. AWW gave info in first 6-weeks: (1) Advice to take 1 IFA daily
g34_aww_2	byte	G34. AWW gave info in first 6-weeks: (2) Advice take 1-2 cal dly until 6m
g34_aww_3	byte	G34. AWW gave info in first 6-weeks: (3) Advice on handwashing
g34_aww_4	byte	G34. AWW gave info in first 6-weeks: (4) Information about danger signs mother

g34_aww_5	byte	G34. AWW gave info in first 6-weeks: (5) Information about danger sign newborn
g34_aww_6	byte	G34. AWW gave info in first 6-weeks: (6) Advice on how keep baby warm
g34_aww_7	byte	G34. AWW gave info in first 6-weeks: (7) Advice on deal with BF difficulties of breastfeeding
g34_aww_8	byte	G34. AWW gave info in first 6-weeks: (8) No bottle-feeding
g34_aww_9	byte	G34. AWW gave info in first 6-weeks: (9) Information whom to contact if difficulties with breastfeeding
g34_aww_10	byte	G34. AWW gave info in first 6-weeks: (10) Information whom to contact if child falls sick
g34_aww_11	byte	G34. AWW gave info in first 6-weeks: (11) Weight of the child
g34_aww_12	byte	G34. AWW gave info in first 6-weeks: (12) Information on diet composition
g34_aww_13	byte	G34. AWW gave info in first 6-weeks: (13) Information on diet quantity
g34_aww_14	byte	G34. AWW gave info in first 6-weeks: (14) Provided adult IFA tablets
g34_aww_15	byte	G34. AWW gave info in first 6-weeks: (15) Provided adult calcium tablets
g34_aww_16	byte	G34. AWW gave info in first 6-weeks: (16) Immunization
g34_aww_17	byte	G34. AWW gave info in first 6-weeks: (17) THR
g34_aww_18	byte	G34. AWW gave info in first 6-weeks: (18) Medicine/prescription
g34_aww_19	byte	G34. AWW gave info in first 6-weeks: (19) Referral to another facility
g34_aww_20	byte	G34. AWW gave info in first 6-weeks: (20) Complementary feeding information
g34_aww_21	byte	G34. AWW gave info in first 6-weeks: (21) Family planning advice
g34_aww_22	byte	G34. AWW gave info in first 6-weeks: (22) Provide contraceptive
g34_aww_23	byte	G34. AWW gave info in first 6-weeks: (23) Diarrhea management
g34_aww_24	byte	G34. AWW gave info in first 6-weeks: (24) Weighed the baby
g34_aww_95	byte	G34. AWW gave info in first 6-weeks: (95) Other
g34_aww_99	byte	G34. AWW gave info in first 6-weeks: (99) Don't know
g34_ohp_0	byte	G34. Other workers gave info in first 6-weeks: (0) Did not provided any service
g34_ohp_1	byte	G34. Other workers gave info in first 6-weeks: (1) Advice to take 1 IFA daily
g34_ohp_2	byte	G34. Other workers gave info in first 6-weeks: (2) Advice take 1-2 cal dly until 6m
g34_ohp_3	byte	G34. Other workers gave info in first 6-weeks: (3) Advice on handwashing
g34_ohp_4	byte	G34. Other workers gave info in first 6-weeks: (4) Information about danger signs mother
g34_ohp_5	byte	G34. Other workers gave info in first 6-weeks: (5) Information about danger signs newborn
g34_ohp_6	byte	G34. Other workers gave info in first 6-weeks: (6) Advice on how keep baby warm
g34_ohp_7	byte	G34. Other workers gave info in first 6-weeks: (7) Advice on deal with BF difficulties of breastfeeding
g34_ohp_8	byte	G34. Other workers gave info in first 6-weeks: (8) No bottle-feeding
g34_ohp_9	byte	G34. Other workers gave info in first 6-weeks: (9) Information whom to contact if difficulties with breastfeeding
g34_ohp_10	byte	G34. Other workers gave info in first 6-weeks: (10) Information whom to contact if child falls sick
g34_ohp_11	byte	G34. Other workers gave info in first 6-weeks: (11) Weight of the child
g34_ohp_12	byte	G34. Other workers gave info in first 6-weeks: (12) Information on diet composition
g34_ohp_13	byte	G34. Other workers gave info in first 6-weeks: (13) Information on diet quantity
g34_ohp_14	byte	G34. Other workers gave info in first 6-weeks: (14) Provided adult IFA tablets
g34_ohp_15	byte	G34. Other workers gave info in first 6-weeks: (15) Provided adult calcium tablets
g34_ohp_16	byte	G34. Other workers gave info in first 6-weeks: (16) Immunization
g34_ohp_17	byte	G34. Other workers gave info in first 6-weeks: (17) THR
g34_ohp_18	byte	G34. Other workers gave info in first 6-weeks: (18) Medicine/prescription
g34_ohp_19	byte	G34. Other workers gave info in first 6-weeks: (19) Referral to another facility
g34_ohp_20	byte	G34. Other workers gave info in first 6-weeks: (20) Complementary feeding infomaton
g34_ohp_21	byte	G34. Other workers gave info in first 6-weeks: (21) Family planning advice

g34_ohp_22	byte	G34. Other workers gave info in first 6-weeks: (22) Provide contraceptive
g34_ohp_23	byte	G34. Other workers gave info in first 6-weeks: (23) Diarrhea management
g34_ohp_24	byte	G34. Other workers gave info in first 6-weeks: (24) Weighed the baby
g34_ohp_95	byte	G34. Other workers gave info in first 6-weeks: (95) Other
g34_ohp__99	byte	G34. Other workers gave info in first 6-weeks: (99) Don't know
h01	byte	H1. Did you receive a Take Home Ration from AWC during pregnancy?
h02_1	byte	H2. Why THR not received: (1) Did not know about THR for pregnant women
h02_2	byte	H2. Why THR not received: (2) Family members did not want me to take it
h02_3	byte	H2. Why THR not received: (3) I did not want to take it
h02_4	byte	H2. Why THR not received: (4) THR was not available / not available regularly
h02_5	byte	H2. Why THR not received: (5) I do not like to go to AWC
h02_8	float	H2. Why THR not received: (8) AWC too far / not available
h02_9	float	H2. Why THR not received: (9) AWW did not provide THR
h02_10	float	H2. Why THR not received: (10) Name was not registered at AWC
h02_11	float	H2. Why THR not received: (11) Respondent was out of town
h02_95	byte	H2. Why THR not received: (95) Other
h02__99	byte	H2. Why THR not received: (99) Don't know
h03	byte	H3. In which month of your pregnancy, did you first receive Take Home Ration?
h04	byte	H4. During last pregnancy, for how many months have you received Take Home Rations?
h05	byte	H5. Did you receive a Take Home Ration from AWC after child birth?
h06_1	byte	H6. Why THR not received: (1) Did not know about THR for lactating women
h06_2	byte	H6. Why THR not received: (2) Family members did not want me to take it
h06_3	byte	H6. Why THR not received: (3) I did not want to take it
h06_4	byte	H6. Why THR not received: (4) THR was not available / not available regularly
h06_5	byte	H6. Why THR not received: (5) I do not like to go to AWC
h06_8	float	H6. Why THR not received: (8) AWC too far / not available
h06_9	float	H6. Why THR not received: (9) AWW did not provide THR
h06_10	float	H6. Why THR not received: (10) Name was not registered at AWC
h06_11	float	H6. Why THR not received: (11) Respondent was out of town
h06_95	byte	H6. Why THR not received: (95) Other
h06__99	byte	H6. Why THR not received: (99) Don't know
h07	byte	H7. How much of the THR that you received did you usually consume?
h08_1	byte	H8. Why all THR not consumed: (1) I did not want to take
h08_2	byte	H8. Why all THR not consumed: (2) THR was not available
h08_3	byte	H8. Why all THR not consumed: (3) THR was of poor quality
h08_4	byte	H8. Why all THR not consumed: (4) Family did not allow me to consume THR
h08_5	byte	H8. Why all THR not consumed: (5) I did not know about it
h08_6	byte	H8. Why all THR not consumed: (6) Other family members consumed THR
h08_7	byte	H8. Why all THR not consumed: (7) THR was used for other purposes
h08_8	byte	H8. Why all THR not consumed: (8) If I eat it, then I will fall sick
h08_9	byte	H8. Why all THR not consumed: (9) I did not like the taste
h08_95	byte	H8. Why all THR not consumed: (95) Other
h08__99	byte	H8. Why all THR not consumed: (99) Don't know
h09_no	byte	H9a. Last THR received - Number
h09_unit	byte	H9b. Last THR received - Units
h10	byte	H10. Did you consume the Take Home Ration the most recent time you received it?
h11_1	byte	H11. Who all consumed recent THR: (1) Myself

h11_2	byte	H11. Who all consumed recent THR: (2) Children
h11_3	byte	H11. Who all consumed recent THR: (3) Other household members
h11_4	byte	H11. Who all consumed recent THR: (4) Livestock
h11_5	byte	H11. Who all consumed recent THR: (5) Did not use it/Threw it away
h11_95	byte	H11. Who all consumed recent THR: (95) Other
h12	byte	H12. For how many days, did one packet of THR last you?
h13_1	byte	H13. Reasons RDW not consume all THR: (1) I did not want to take
h13_2	byte	H13. Reasons RDW not consume all THR: (2) THR was not available
h13_3	byte	H13. Reasons RDW not consume all THR: (3) THR was of poor quality
h13_4	byte	H13. Reasons RDW not consume all THR: (4) Family not allow me to consume THR
h13_5	byte	H13. Reasons RDW not consume all THR: (5) I did not know about it
h13_6	byte	H13. Reasons RDW not consume all THR: (6) Other family members consumed THR
h13_7	byte	H13. Reasons RDW not consume all THR: (7) THR was used for other purposes
h13_8	byte	H13. Reasons RDW not consume all THR: (8) If I eat it, then I will fall sick
h13_9	byte	H13. Reasons RDW not consume all THR: (9) I did not like the taste
h13_12	float	H13. Reasons RDW not consume all THR: (12) AWC too far / not available
h13_13	float	H13. Reasons RDW not consume all THR: (13) Did not get THR / Did not know about
h13_14	float	H13. Reasons RDW not consume all THR: (14) Have THR packet/Ate THR
h13_95	byte	H13. Reasons RDW not consume all THR: (95) Other
h13__99	byte	H13. Reasons RDW not consume all THR: (_99) Don't know
h14	byte	H14. Would you have preferred to get money instead of THR during your pregnancy
h15	byte	H15. If you were given money instead of THR, would you be able to spend it yourself?
h16_1	byte	H16. What would you do with THR Money: (1) Will give my in-laws/husband
h16_2	byte	H16. What would you do with THR Money: (2) Will buy food I like to eat
h16_3	byte	H16. What would you do with THR Money: (3) Ask family to buy food I like to eat
h16_4	byte	H16. What would you do with THR Money: (4) Will buy food for the household
h16_5	byte	H16. What would you do with THR Money: (5) Will Use for general house expenses
h16_6	byte	H16. What would you do with THR Money: (6) Will buy food for children
h16_7	byte	H16. What would you do with THR Money: (7) Would save the money for myself
h16_95	byte	H16. What would you do with THR Money: (95) Other
h17	byte	H17. In this area, there are some schemes that provide incentives (i.e. cash) to mothers to give birth in a health facility." Have you ever heard of these schemes?
h18	byte	H18. Have you ever heard of Janani Suraksha Yojana (JSY)?
h19	byte	H19. Have you ever heard of Janani-Shishu Suraksha Karyakram (JSSK)?
h20	byte	H20. Have you ever heard of Maternity Benefit Program-MBP (Matritva Laabh Program)
h21	byte	H21. During your last pregnancy, did you enroll in any of the incentive schemes?
h22_1	byte	H22. Incentive scheme you enrolled: (1) JSY
h22_2	byte	H22. Incentive scheme you enrolled: (2) JSSK
h22_3	byte	H22. Incentive scheme you enrolled: (3) Maternity Benefit Program
h23_jsy	int	H23(A). Total amount of JSY expected
h23_mbp	int	H23(B). Total amount of Maternity Benefit Program expected
h24_jsy	int	H24(A). Total amount of JSY actually received
h24_mbp	int	H24(B). Total amount of Maternity Benefit Program actually received
h25	byte	H25. How was the money given to you?
i01	byte	I1. Are you a vegetarian?
i02_0	byte	I2. During pregnancy, family discouraged eating: (0) No food restriction
i02_1	byte	I2. During pregnancy, family discouraged eating: (1) Meat and poultry

i02_2	byte	I2. During pregnancy, family discouraged eating: (2) Fish
i02_3	byte	I2. During pregnancy, family discouraged eating: (3) Milk and milk products
i02_4	byte	I2. During pregnancy, family discouraged eating: (4) Eggs
i02_5	byte	I2. During pregnancy, family discouraged eating: (5) Papaya
i02_6	byte	I2. During pregnancy, family discouraged eating: (6) Mango
i02_7	byte	I2. During pregnancy, family discouraged eating: (7) Jackfruit
i02_23	float	I2. During pregnancy, family discouraged eating: (23) Curd
i02_24	float	I2. During pregnancy, family discouraged eating: (24) Arbi
i02_25	float	I2. During pregnancy, family discouraged eating: (25) Pulse
i02_26	float	I2. During pregnancy, family discouraged eating: (26) Corn
i02_27	float	I2. During pregnancy, family discouraged eating: (27) Water melon
i02_28	float	I2. During pregnancy, family discouraged eating: (28) Hot meal
i02_29	float	I2. During pregnancy, family discouraged eating: (29) Soya/methi
i02_30	float	I2. During pregnancy, family discouraged eating: (30) Radish
i02_31	float	I2. During pregnancy, family discouraged eating: (31) Fruits
i02_32	float	I2. During pregnancy, family discouraged eating: (32) Rice
i02_33	float	I2. During pregnancy, family discouraged eating: (33) Brinjal
i02_34	float	I2. During pregnancy, family discouraged eating: (34) Badi (Arro - white colored
i02_35	float	I2. During pregnancy, family discouraged eating: (35) Chili
i02_36	float	I2. During pregnancy, family discouraged eating: (36) Guava
i02_37	float	I2. During pregnancy, family discouraged eating: (37) Banana
i02_38	float	I2. During pregnancy, family discouraged eating: (38) Pumpkin
i02_39	float	I2. During pregnancy, family discouraged eating: (39) Mango/Pickle
i02_40	float	I2. During pregnancy, family discouraged eating: (40) Garlic
i02_41	float	I2. During pregnancy, family discouraged eating: (41) Soil
i02_42	float	I2. During pregnancy, family discouraged eating: (42) Peanut
i02_43	float	I2. During pregnancy, family discouraged eating: (43) Lemon
i02_44	float	I2. During pregnancy, family discouraged eating: (44) Potato
i02_45	float	I2. During pregnancy, family discouraged eating: (45) Lady Finger
i02_46	float	I2. During pregnancy, family discouraged eating: (46) Tea
i02_47	float	I2. During pregnancy, family discouraged eating: (47) Fried things
i02_48	float	I2. During pregnancy, family discouraged eating: (48) Jimikand
i02_49	float	I2. During pregnancy, family discouraged eating: (49) Cold things
i02_50	float	I2. During pregnancy, family discouraged eating: (50) Green leafy vegetables
i02_51	float	I2. During pregnancy, family discouraged eating: (51) Black gram
i02_95	byte	I2. During pregnancy, family discouraged eating: (95) Other
i03_0	byte	I3. During lactation, family discouraged eating: (0) No food restriction
i03_1	byte	I3. During lactation, family discouraged eating: (1) Meat and poultry
i03_2	byte	I3. During lactation, family discouraged eating: (2) Fish
i03_3	byte	I3. During lactation, family discouraged eating: (3) Milk and milk products
i03_4	byte	I3. During lactation, family discouraged eating: (4) Eggs
i03_5	byte	I3. During lactation, family discouraged eating: (5) Papaya
i03_6	byte	I3. During lactation, family discouraged eating: (6) Mango
i03_7	byte	I3. During lactation, family discouraged eating: (7) Jackfruit
i03_23	float	I3. During lactation, family discouraged eating: (23) Arbi
i03_24	float	I3. During lactation, family discouraged eating: (24) Brinjal
i03_25	float	I3. During lactation, family discouraged eating: (25) Pulse

i03_26	float	I3. During lactation, family discouraged eating: (26) Corn
i03_27	float	I3. During lactation, family discouraged eating: (27) Water melon
i03_28	float	I3. During lactation, family discouraged eating: (28) Radish
i03_29	float	I3. During lactation, family discouraged eating: (29) Fruits
i03_30	float	I3. During lactation, family discouraged eating: (30) Rice
i03_31	float	I3. During lactation, family discouraged eating: (31) Badi
i03_32	float	I3. During lactation, family discouraged eating: (32) Chili
i03_33	float	I3. During lactation, family discouraged eating: (33) Guava
i03_34	float	I3. During lactation, family discouraged eating: (34) Banana
i03_35	float	I3. During lactation, family discouraged eating: (35) Pumpkin
i03_36	float	I3. During lactation, family discouraged eating: (36) Mango/Pickle
i03_37	float	I3. During lactation, family discouraged eating: (37) Peanut
i03_38	float	I3. During lactation, family discouraged eating: (38) Potato
i03_39	float	I3. During lactation, family discouraged eating: (39) Tea
i03_40	float	I3. During lactation, family discouraged eating: (40) Fried things
i03_41	float	I3. During lactation, family discouraged eating: (41) cold things
i03_42	float	I3. During lactation, family discouraged eating: (42) Green leafy vegetables
i03_43	float	I3. During lactation, family discouraged eating: (43) Cucumber
i03_44	float	I3. During lactation, family discouraged eating: (44) Cauliflower
i03_45	float	I3. During lactation, family discouraged eating: (45) Jaggery, Yogurt
i03_46	float	I3. During lactation, family discouraged eating: (46) Maggi,Macroni
i03_47	float	I3. During lactation, family discouraged eating: (47) Sweets
i03_48	float	I3. During lactation, family discouraged eating: (48) Oily Spicy
i03_49	float	I3. During lactation, family discouraged eating: (49) Indigestive things
i03_50	float	I3. During lactation, family discouraged eating: (50) Uncooked Food
i03_51	float	I3. During lactation, family discouraged eating: (51) Curd
i03_52	float	I3. During lactation, family discouraged eating: (52) Cow/Goat milk
i03_53	float	I3. During lactation, family discouraged eating: (53) No bitter food
i03_95	byte	I3. During lactation, family discouraged eating: (95) Other
i03__99	float	I3. During lactation, family discouraged eating: (_99) Don't know
i04_0	byte	I4. After delivery, did family encourage you to eat: (0) Nothing
i04_1	byte	I4. After delivery, did family encourage you to eat: (1) Garlic
i04_2	byte	I4. After delivery, did family encourage you to eat: (2) Fenugreek
i04_3	byte	I4. After delivery, did family encourage you to eat: (3) Jaggery
i04_4	byte	I4. After delivery, did family encourage you to eat: (4) Coconut
i04_5	byte	I4. After delivery, did family encourage you to eat: (5) Dates
i04_6	byte	I4. After delivery, did family encourage you to eat: (6) Almonds
i04_7	byte	I4. After delivery, did family encourage you to eat: (7) Not required
i04_66	float	I4. After delivery, did family encourage you to eat: (66) Egg
i04_67	float	I4. After delivery, did family encourage you to eat: (67) Green vegetables
i04_68	float	I4. After delivery, did family encourage you to eat: (68) Meat and poultry,Fish
i04_69	float	I4. After delivery, did family encourage you to eat: (69) Oat porridge
i04_70	float	I4. After delivery, did family encourage you to eat: (70) Raisin
i04_71	float	I4. After delivery, did family encourage you to eat: (71) Bread
i04_72	float	I4. After delivery, did family encourage you to eat: (72) Cashew
i04_73	float	I4. After delivery, did family encourage you to eat: (73) Cow/Goat milk
i04_74	float	I4. After delivery, did family encourage you to eat: (74) Corn

i04_75	float	I4. After delivery, did family encourage you to eat: (75) Soil
i04_76	float	I4. After delivery, did family encourage you to eat: (76) Dry Fruits
i04_77	float	I4. After delivery, did family encourage you to eat: (77) Fruits
i04_78	float	I4. After delivery, did family encourage you to eat: (78) Mango/Pickle
i04_79	float	I4. After delivery, did family encourage you to eat: (79) Green leafy vegetables
i04_80	float	I4. After delivery, did family encourage you to eat: (80) Jaggery, Yogurt
i04_81	float	I4. After delivery, did family encourage you to eat: (81) Pulses
i04_82	float	I4. After delivery, did family encourage you to eat: (82) Rice
i04_83	float	I4. After delivery, did family encourage you to eat: (83) Peas
i04_84	float	I4. After delivery, did family encourage you to eat: (84) Powder, Protein mix Su
i04_95	byte	I4. After delivery, did family encourage you to eat: (95) Other
i04__99	float	I4. After delivery, did family encourage you to eat: (_99) Don't know
i05	byte	I5. Was yesterday a special day where special kinds of foods were eaten?
i05a	byte	I5(A). How many meals did you eat yesterday?
i06	byte	I6. Ate? Foods made from grains - (Bread (rotis, etc), rice,noodles or other foods made from grains)
i07	byte	I7. Ate? White roots and tubers and plantains - (White potatoes, white yams, raw banana, arbi, shakarkhandior any other foods made from white-fleshed roots or tubers, or plantains)
i08	byte	I8. Ate? Pulses (beans, peas and lentils) - (Mature beans or peas (fresh or dried seed), lentils or bean/pea products)
i09	byte	I9. Ate? Nuts and seeds - (Any tree nut, groundnut/peanut or certain seeds, or nut/seed "butters" or pastes)
i10	byte	I10. Ate? Milk and milk products - (Milk, cheese, paneer/cottage cheese, yoghurt or other milk products but NOT including butter, ice cream, cream or sour cream)
i11	byte	I11. Ate? Meat and poultry - (chicken, mutton, lamb, etc)
i12	byte	I12. Ate? Fish
i13	byte	I13. Ate? Eggs - (Eggs from poultry or any other bird)
i14	byte	I14. Ate? Dark green leafy vegetables - (List examples of any medium-to-dark green leafy vegetables, including spinach, fenugreek, amaranth, mustard leaves wild/foraged leaves)
i15	byte	I15. Ate? Vitamin A-rich vegetables, roots and tubers - (Pumpkin, carrots, squash or sweet potatoes that are yellow or orange inside)
i16	byte	I16. Ate? Vitamin A-rich fruits - (Ripe mango, ripe papaya)
i17	byte	I17. Ate? Other vegetables
i18	byte	I18. Ate? Other fruits
i19	byte	I19. Ate? Other oils and fats
i20	byte	I20. Ate? Savoury and fried snacks
i21	byte	I21. Ate? Sweets - (Sugary foods, such as sweets, chocolates, candies, cookies/sweet biscuits and cake, sweet)
i22	byte	I22. Ate? Sugar-sweetened beverages - (Sweetened fruit juices and 'juice drinks", soft drinks/fizzy drinks, yoghurt drinks or sweet tea or coffee with sugar)
i23	byte	I23. Ate? Other vitamins and supplements (powder or tablet) used
k01_no	byte	K1(A). Hours/day after childbirth did breastfeeding start :Number
k01_unit	byte	K1(B). Hours/day after childbirth did breastfeeding start :Unit
k02	byte	K2. Did you give the child colostrum?
k03	byte	K3. Was the child fed anything other than breastmilk immediately after birth?
k04_1	byte	K4. What was the child fed: (1) Honey
k04_2	byte	K4. What was the child fed: (2) Janamghutti
k04_3	byte	K4. What was the child fed: (3) Gripe water

k04_4	byte	K4. What was the child fed: (4) Plain water
k04_5	byte	K4. What was the child fed: (5) Sugar/ glucose water
k04_6	byte	K4. What was the child fed: (6) Tea/coffee
k04_7	byte	K4. What was the child fed: (7) Cow/ goat milk
k04_10	float	K4. What was the child fed: (10) Formula Milk
k04_11	float	K4. What was the child fed: (11) Jaggery
k04_12	float	K4. What was the child fed: (12) Breast milk of others members
k04_13	float	K4. What was the child fed: (13) Packed milk
k04_95	byte	K4. What was the child fed: (95) Other
k04__99	byte	K4. What was the child fed: (99) Do not remember / Don't know
		K5. Did you or anyone else give anything other than breastmilk to the child during the first 3 days
k05	byte	after s/he was born?
k06_1	byte	K6. During 1st 3 day what was given to the child: (1) Honey
k06_2	byte	K6. During 1st 3 day what was given to the child: (2) Janamghutti
k06_3	byte	K6. During 1st 3 day what was given to the child: (3) Gripe water
k06_4	byte	K6. During 1st 3 day what was given to the child: (4) Plain water
k06_5	byte	K6. During 1st 3 day what was given to the child: (5) Sugar/ glucose water
k06_6	byte	K6. During 1st 3 day what was given to the child: (6) Tea/coffee
k06_7	byte	K6. During 1st 3 day what was given to the child: (7) Cow/ goat milk
k06_10	float	K6. What was the child fed: (10) Formula Milk
k06_11	float	K6. What was the child fed: (11) Jaggery
k06_12	float	K6. What was the child fed: (12) Breast milk of others members
k06_95	byte	K6. During 1st 3 day what was given to the child: (95) Other
k06__99	byte	K6. During 1st 3 day what given to child: (_99) Do not remember / Don't know
k07	byte	K7. Is the child still breastfeeding?
k08	byte	K8. At what age did you stop breastfeeding the child?
k09_1	byte	K9. Why did you stop breastfeeding: (1) Problems with breast (pain)
k09_2	byte	K9. Why did you stop breastfeeding: (2) Child did not suck well
k09_3	byte	K9. Why did you stop breastfeeding: (3) Not enough time to feed child
k09_4	byte	K9. Why stopped breastfeeding: (4) Child already grown up
k09_5	byte	K9. Why did you stop breastfeeding: (5) Mother got pregnant
k09_6	byte	K9. Why did you stop breastfeeding: (6) Cracked nipples
k09_7	byte	K9. Why did you stop breastfeeding: (7) Felt not enough breastmilk
k09_11	float	K9. Why did you stop breastfeeding: (11) Child is dead
k09_12	float	K9. Why did you stop breastfeeding: (12) Adopted child
k09_13	float	K9. Why did you stop breastfeeding: (13) Mother was ill
k09_95	byte	K9. Why did you stop breastfeeding: (95) Other
k10	byte	K10. How many times did you breastfeed the child yesterday, during the day and night?
		K11. Other than breast milk, how many times did the child drink other milk, formula or yogurt
k11	byte	yesterday, during the day and night?
k12	byte	K12. Yesterday (during the day and the night), did you use a baby bottle to feed the child?
k13_01	byte	K13. Age when started giving item to child: Water
k13_02	byte	K13. Age when started giving item to child: Other non breast milk liquids
k13_03	byte	K13. Age when started giving item to child: Cow/goat milk
k13_04	byte	K13. Age when started giving item to child: Sooji/rice/gruel, etc
k13_05	byte	K13. Age when started giving item to child: Semi-solid foods
k13_06	byte	K13. Age when started giving item to child: Solid foods

k13_07	byte	K13. Age when started giving item to child: Fish
k13_08	byte	K13. Age when started giving item to child: Meat
k13_09	byte	K13. Age when started giving item to child: Eggs
k13_10	byte	K13. Age when started giving item to child: Legumes
k13_11	byte	K13. Age when started giving item to child: Vegetables
k13_12	byte	K13. Age when started giving item to child: Snack food
k14	byte	K14. How many times did the child eat solid, semi-solid or soft foods other than liquids yesterday, during the day and night?
k15a_01	byte	K15(A). Child had this liquid yesterday:(1) Breast milk
k15a_02	byte	K15(A). Child had this liquid yesterday:(2) Water
k15a_03	byte	K15(A). Child had this liquid yesterday:(3) Baby formula (prepared food for child)
k15a_04	byte	K15(A). Child had this liquid yesterday:(4) Any other kind of milk (powder, cow/goat milk etc.)
k15a_05	byte	K15(A). Child had this liquid yesterday:(5) Fruit juice (made at home)
k15a_06	byte	K15(A). Child had this liquid yesterday:(6) Fruit juice (purchased, packaged)
k15a_07	byte	K15(A). Child had this liquid yesterday:(7) Water-based liquids, teas, sugar water, coffee
k15b_01	byte	K15(B). Child ever had this liquid:(1) Breast milk
k15b_02	byte	K15(B). Child ever had this liquid:(2) Water
k15b_03	byte	K15(B). Child ever had this liquid:(3) Baby formula (prepared food for child)
k15b_04	byte	K15(B). Child ever had this liquid:(4) Any other kind of milk (powder, cow/goat milk etc)
k15b_05	byte	K15(B). Child ever had this liquid:(5) Fruit juice (made at home)
k15b_06	byte	K15(B). Child ever had this liquid:(6) Fruit juice (purchased, packaged)
k15b_07	byte	K15(B). Child ever had this liquid:(7) Water-based liquids, teas, sugar water, coffee
k15c_01	byte	K15(C) . Age when plan to start giving child this liquid:(1) Breast milk
k15c_02	byte	K15(C) . Age when plan to start giving child this liquid:(2) Water
k15c_03	byte	K15(C) . Age when plan to start giving child this liquid:(3) Baby formula (prepared food for child)
k15c_04	byte	K15(C) . Age when plan to start giving child this liquid:(4) Any other kind of milk (powder, cow/goat milk etc.)
k15c_05	byte	K15(C) . Age when plan to start giving child this liquid:(5) Fruit juice (made at home)
k15c_06	byte	K15(C) . Age when plan to start giving child this liquid:(6) Fruit juice (purchased, packaged)
k15c_07	byte	K15(C) . Age when plan to start giving child this liquid:(7) Water-based liquids, teas, sugar water, coffee
k16_01	byte	K16(1). Yesterday the child drink/eat any:(1) Rice
k16_02	byte	K16(2). Yesterday the child drink/eat any:(2) Cereals
k16_03	byte	K16(3). Yesterday the child drink/eat any:(3) Purchased baby cereals
k16_04	byte	K16(4). Yesterday the child drink/eat any:(4) Legume: daal
k16_05	byte	K16(5). Yesterday the child drink/eat any:(5) Green leafy vegetables
k16_06	byte	K16(6). Yesterday the child drink/eat any:(6) Pumpkin etc (vitamin-A rich)
k16_07	byte	K16(7). Yesterday the child drink/eat any:(7) Any other vegetables
k16_08	byte	K16(8). Yesterday the child drink/eat any:(8) Ripe papaya or mango
k16_09	byte	K16(9). Yesterday the child drink/eat any:(9) Other fruits such as oranges, bbanana, grapefruits
k16_10	byte	K16(10). Yesterday the child drink/eat any:(10) Any other fruits
k16_11	byte	K16(11). Yesterday the child drink/eat any:(11) Mutton or other meat
k16_12	byte	K16(12). Yesterday the child drink/eat any:(12) Chicken
k16_13	byte	K16(13). Yesterday the child drink/eat any:(13) Liver
k16_14	byte	K16(14). Yesterday the child drink/eat any:(14) Fish
k16_15	byte	K16(15). Yesterday the child drink/eat any:(15) Eggs
k16_16	byte	K16(16). Yesterday the child drink/eat any:(16) Peanuts, groundnuts, other nuts

k16_17	byte	K16(17). Yesterday the child drink/eat any:(17) Milk
k16_18	byte	K16(18). Yesterday the child drink/eat any:(18) Milk products
k16_19	byte	K16(19). Yesterday the child drink/eat any:(19) Fat (oil, butter, ghee)
k16_20	byte	K16(20). Yesterday the child drink/eat any:(20) Chips or namkeen/Kurkure, maggi
k16_21	byte	K16(21). Yesterday the child drink/eat any:(21) Biscuits
k16_22	byte	K16(22). Yesterday the child drink/eat any:(22) Bread or buns
k16_23	byte	K16(23). Yesterday the child drink/eat any:(23) Candies or chocolates, Indian sweets
k16_24	byte	K16(24). Yesterday the child drink/eat any:(24) Horlicks
k16_25	byte	K16(25). Yesterday the child drink/eat any:(25) Any iron containing tablet, syrup
k16_26	byte	K16(26). Yesterday the child drink/eat any:(26) Spices/condiments
k16_95	byte	K16(95). Yesterday the child drink/eat any:(27) Others
k17a_01	byte	K17(A). Washing hands:(1) After defecation
k17a_02	byte	K17(A). Washing hands:(2) After cleaning the feces of children
k17a_03	byte	K17(A). Washing hands:(3) Before cooking/preparing food
k17a_04	byte	K17(A). Washing hands:(4) Before eating
k17a_05	byte	K17(A). Washing hands:(5) Before feeding children
k17a_06	byte	K17(A). Washing hands:(6) After cooking/eating
k17a_07	byte	K17(A). Washing hands:(7) After feeding children
k17a_08	byte	K17(A). Washing hands:(8) After cleaning the house/compound
k17a_09	byte	K17(A). Washing hands:(9) After disposing garbage
k17a_10	byte	K17(A). Washing hands:(10) Before picking up the child
k17b_01	byte	K17(B). Wash hands with:(1) After defecation
k17b_02	byte	K17(B). Wash hands with:(2) After cleaning the feces of children
k17b_03	byte	K17(B). Wash hands with:(3) Before cooking/preparing food
k17b_04	byte	K17(B). Wash hands with:(4) Before eating
k17b_05	byte	K17(B). Wash hands with:(5) Before feeding children
k17b_06	byte	K17(B). Wash hands with:(6) After cooking/eating
k17b_07	byte	K17(B). Wash hands with:(7) After feeding children
k17b_08	byte	K17(B). Wash hands with:(8) After cleaning the house/compound
k17b_09	byte	K17(B). Wash hands with:(9) After disposing garbage
k17b_10	byte	K17(B). Wash hands with:(10) Before picking up the child
l01_1	byte	L1. Why some newborns very small and some healthy: (1) Evil eye
l01_2	byte	L1. Why some newborn very small some healthy: (2) Too many children
l01_3	byte	L1. Why some newborns very small some healthy: (3) Mother unhealthy
l01_4	byte	L1. Why some newborns very small some healthy: (4) Mother not eat well
l01_5	byte	L1. Why some newborn very small some healthy: (5) Mother nt compl ANC visits
l01_6	byte	L1. Why some newborn very small some healthy: (6) Mother not take IFA calcium
l01_7	byte	L1. Why some newborn very small some healthy: (7) Mother ill during pregnancy
l01_8	byte	L1. Why some newborns very small and some healthy: (8) Premature birth
l01_95	byte	L1. Why some newborns very small and some healthy: (95) Other
l01_99	byte	L1. Why some newborns very small and some healthy: (_99) Don't know
l02_1	byte	L2. Why good nutrition of PW/lactating important: (1) For adequate weight gain
l02_2	byte	L2. Why good nutrition of PW/lactating important: (2) Child grows healthy
l02_3	byte	L2. Why good nutrition of PW/lactating important: (3) For a brainy child
l02_4	byte	L2. Why good nutrition of PW/lactating important: (4) Quick recovery after delivery
l02_5	byte	L2. Why good nutrition of PW/lactating important: (5) Extra costs saved
l02_6	byte	L2. Why good nutrition of PW/lactating important: (6) It is good investment

l02_7	byte	L2. Why good nutrition of PW/lactating important: (7) To produce adequate bmilk
l02_8	byte	L2. Why good nutrition of PW/lactating important: (8) To ensure mother healthy
l02_95	byte	L2. Why good nutrition of PW/lactating important: (95) Other
l02__99	byte	L2. Why good nutrition of PW/lactating important: (99) Don't know
l03_1	byte	L3. What should PW/RDW eat for nutrition: (1) Eat 5 types of foods
l03_2	byte	L3. What should PW/RDW eat for nutrition: (2) Take thick dal
l03_3	byte	L3. What should PW/RDW eat for nutrition: (3) Take milk/product
l03_4	byte	L3. What should PW/RDW eat for nutrition: (4) Incrse amt milk prdct
l03_5	byte	L3. What should PW/RDW eat for nutrition: (5) Eat leafy vegetables dly
l03_6	byte	L3. What should PW/RDW eat for nutrition: (6) Eat yellow/orng veg/fruits
l03_7	byte	L3. What should PW/RDW eat for nutrition: (7) Eat fish/meat if nonvgtrn
l03_8	byte	L3. What should PW/RDW eat for nutrition: (8) Eat egg if accptbl
l03_9	byte	L3. What should PW/RDW eat for nutrition: (9) Nutritious snack
l03_10	byte	L3. What should PW/RDW eat for nutrition: (10) In amt food consumed
l03_11	byte	L3. What should PW/RDW eat for nutrition: (11) Take 1 IFA tablet daily
l03_12	byte	L3. What should PW/RDW eat for nutrition: (12) Take 2 cal tablets daily
l03_13	byte	L3. What should PW/RDW eat for nutrition: (13) Eat channa
l03_14	byte	L3. What should PW/RDW eat for nutrition: (14) Eat jaggery
l03_95	byte	L3. What should PW/RDW eat for nutrition: (95) Other
l03__99	byte	L3. What should PW/RDW eat for nutrition: (99) Don't know
l04	byte	L4. Have you heard about anemia?
l05	byte	L5. Have you ever heard about IFA tablets?
l06	byte	L6. How many IFA tablets do you think a pregnant woman should take in one month?
l07	int	L7. How many IFA tablets do you think a pregnant woman should take during pregnancy
l08_1	byte	L8. Why PW should take IFA: (1) Reduce anemia risk PW
l08_2	byte	L8. Why PW should take IFA: (2) To redce anemia risk fetus
l08_3	byte	L8. Why PW should take IFA: (3) To reduce risk low birth weight
l08_4	byte	L8. Why PW should take IFA: (4) To help improve child intelligence
l08_5	byte	L8. Why PW should take IFA: (5) To reduce death risk blood loss
l08_6	byte	L8. Why PW should take IFA: (6) To make mother healthy
l08_95	byte	L8. Why PW should take IFA: (95) Other
l08__99	byte	L8. Why PW should take IFA: (99) Don't know
l09	byte	L9. How long after birth should a woman continue taking IFA tablets
l10_1	byte	L10. Beverages decrease iron absorption taken with meals: (1) Coffee
l10_2	byte	L10. Beverages decrease iron absorption taken with meals: (2) Tea
l10_3	byte	L10. Beverages decrease iron absorption taken with meals: (3) Milk
l10_4	byte	L10. Beverages decrease iron absorption taken with meals: (4) Lemon
l10_95	byte	L10. Beverages decrease iron absorption taken with meals: (95) Other
l10__99	byte	L10. Beverages decrease iron absorption taken with meals: (_99) Don't know
l11	byte	L11. Have you ever heard about calcium tablets?
l12	byte	L12. How many calcium tables do you think a pregnant woman should take in one month
l13	int	L13. How many calcium tablets do you think a pregnant woman should take during pregnancy?
l14_1	byte	L14. Why PW should take calcium: (1) To recover loss in PW body
l14_2	byte	L14. Why PW should take calcium: (2) To ensure growth child bones and teeth
l14_3	byte	L14. Why PW should take calcium: (3) To reduce risk fever etc
l14_95	byte	L14. Why PW should take calcium: (95) Other
l14__99	byte	L14. Why PW should take calcium: (99) Don't know

l15	byte	L15. For how long after birth a woman should continue taking calcium?
l16	float	L16. How much weight should a pregnant woman gain during pregnancy?
l17_1	byte	L17. When should a woman wash hands: (1) After defecation
l17_2	byte	L17. When should a woman wash hands: (2) After cleaning the feces of children
l17_3	byte	L17. When should a woman wash hands: (3) Before cooking/preparing food
l17_4	byte	L17. When should a woman wash hands: (4) Before eating
l17_5	byte	L17. When should a woman wash hands: (5) Before feeding children
l17_6	byte	L17. When should a woman wash hands: (6) After cooking/eating
l17_7	byte	L17. When should a woman wash hands: (7) After feeding children
l17_8	byte	L17. When should a woman wash hands: (8) After cleaning the house/compound
l17_9	byte	L17. When should a woman wash hands: (9) After disposing garbage
l17_10	byte	L17. When should a woman wash hands: (10) After cleaning the house
l17_11	byte	L17. When should a woman wash hands: (11) Before picking up the child
l17_95	byte	L17. When should a woman wash hands: (95) Other
l18_01_a	byte	L18(1). During 1st trimester of pregnancy:(a) Number of main meals
l18_01_b	byte	L18(1). During 1st trimester of pregnancy:(b) Number of snacks
l18_02_a	byte	L18(2). During 2nd trimester of pregnancy:(a) Number of main meals
l18_02_b	byte	L18(2). During 2nd trimester of pregnancy:(b) Number of snacks
l18_03_a	byte	L18(3). During 3rd trimester of pregnancy:(a) Number of main meals
l18_03_b	byte	L18(3). During 3rd trimester of pregnancy:(b) Number of snacks
l18_04_a	byte	L18(4). During lactation:(a) Number of main meals
l18_04_b	byte	L18(4). During lactation:(b) Number of snacks
l19	byte	L19. When should a baby start breastfeeding after birth?
l20_1	byte	L20. Why should baby start BF after birth: (1) BF within 1 hour can save baby
l20_2	byte	L20. Why should baby start BF after birth: (2) BF within 1h reduce bleeding
l20_3	byte	L20. Why should baby start BF after birth: (3) BF within 1 hour improve bmilk supply
l20_4	byte	L20. Why should baby start BF after birth: (4) Colostrum is good for the baby
l20_5	byte	L20. Why should a baby start BF after birth: (5) BF within 1 hour is good for child's health
l20_95	byte	L20. Why should a baby start BF after birth: (95) Other
l20__99	byte	L20. Why should a baby start BF after birth: (_99) Don't know
l21_1	byte	L21. What mother do with colostrum: (1) Throw away start BF real milk comes in
l21_2	byte	L21. What should mother do with colostrum: (2) Give it baby soon after birth
l21_95	byte	L21. What should mother do with colostrum: (95) Other
l21__99	byte	L21. What should mother do with colostrum: (_99) Don't know
l22_1	byte	L22. Benefits of colostrum: (1) Protects against allergies and infections
l22_2	byte	L22. Benefits of colostrum: (2) Provide good source of nutrition
l22_3	byte	L22. Benefits of colostrum: (3) Helps to prevent jaundice
l22_4	byte	L22. Benefits of colostrum: (4) Helps in passing of first stools or meconium
l22_95	byte	L22. Benefits of colostrum: (95) Other
l22__99	byte	L22. Benefits of colostrum: (_99) Don't know
l23_1	byte	L23. What to feed baby less than 6m: (1) Breast milk only
l23_2	byte	L23. What to feed baby less than 6m: (2) Breast milk and water
l23_3	byte	L23. What to feed baby less than 6m: (3) Breast milk and some other liquids
l23_95	byte	L23. What to feed baby less than 6m: (95) Other
l23__99	byte	L23. What to feed baby less than 6m: (_99) Don't know
l24	byte	L24. For how many months should babies be breastfed exclusively (not even water)
l25_1	byte	L25. Exclusive benefits of BF: (1) Protects baby from illness

l25_2	byte	L25. Exclusive benefits of BF: (2) Helps baby grow and develop better
l25_3	byte	L25. Exclusive benefits of BF: (3) Provides a superior source of nutrients
l25_4	byte	L25. Exclusive benefits of BF: (4) Easy to digest
l25_5	byte	L25. Exclusive benefits of BF: (5) Provides water for baby in 6 mths
l25_6	byte	L25. Exclusive benefit BF: (6) Clean, always ready and of a good temperature
l25_7	byte	L25. Exclusive benefits of BF: (7) Stimulates brain development of the baby
l25_8	byte	L25. Exclusive benefits of BF: (8) Delays a new pregnancy
l25_9	byte	L25. Exclusive benefits of BF: (9) Stimulates breast milk production
l25_10	byte	L25. Exclusive benefits of BF: (10) Save money
l25_11	byte	L25. Exclusive benefits of BF: (11) Increase bonding mother child
l25_12	byte	L25. Exclusive benefits of BF: (12) Good for mother's health
l25_95	byte	L25. Exclusive benefits of BF: (95) Other
l25__99	byte	L25. Exclusive benefits of BF: (_99) Don't know
l26	byte	L26. Each time you breastfeed, do you think you should give a little from each breast or empty one breast before switching to the other?
l27_1	byte	L27. When should baby breastfeed: (1) Whenever baby wants
l27_2	byte	L27. When should baby breastfeed: (2) When you see, the baby is hungry
l27_3	byte	L27. When should baby breastfeed: (3) When the baby cries
l27_4	byte	L27. When should baby breastfeed: (4) Every 1-2 hours
l27_95	byte	L27. When should baby breastfeed: (95) Other
l27__99	byte	L27. When should baby breastfeed: (_99) Don't know
l28	byte	L28. Do you think that a mother with small breasts can produce enough milk?
l29	byte	L29. Can a mother who is not well fed produce enough breast milk?
l30_1	byte	L30. What mother do if baby gets insufficient milk: (1) BF frequently
l30_2	byte	L30. What mother do if baby gets insufficient milk: (2) Ensure position baby withdraw all the milk
l30_3	byte	L30. What mother do if baby gets insufficient milk: (3) Baby takes time to complete breastfeeding from each breast
l30_4	byte	L30. What mother do if baby gets insufficient milk: (4) Empty 1 breast bfr switching to the other breast
l30_5	byte	L30. What mother do if baby gets insufficient milk: (5) Give other liquid
l30_6	byte	L30. What mother do if baby gets insufficient milk: (6) Mother needs drink more water
l30_7	byte	L30. What mother do if baby gets insufficient milk: (7) Mother needs to eat more food
l30_8	byte	L30. What mother do if baby gets insufficient milk: (8) Mother need to eat spl food
l30_9	byte	L30. What mother do if baby gets insufficient milk: (9) Give infant formula
l30_10	byte	L30. What mother do if baby gets insufficient milk: (10) Mother needs to rest more
l30_15	float	L30. What mother do if baby gets insufficient milk: (15) Formula Milk
l30_16	float	L30. What mother do if baby gets insufficient milk: (16) Breast milk of others mom
l30_17	float	L30. What mother do if baby gets insufficient milk: (17) Cow/Goat milk
l30_18	float	L30. What mother do if baby gets insufficient milk: (18) Biscuit
l30_19	float	L30. What mother do if baby gets insufficient milk: (19) Pulse
l30_20	float	L30. What mother do if baby gets insufficient milk: (20) Almond
l30_21	float	L30. What mother do if baby gets insufficient milk: (21) Plum
l30_22	float	L30. What mother do if baby gets insufficient milk: (22) Take doctor advise
l30_23	float	L30. What mother do if baby gets insufficient milk: (23) Fruits
l30_95	byte	L30. What mother do if baby gets insufficient milk: (95) Other
l30__99	byte	L30. What mother do if baby gets insufficient milk: (99) Don't know
l31_1	byte	L31. How to understand child is getting sufficient milk: (1) Baby urinates 6-7 times in 24hrs

l31_2	byte	L31. How to understand child is getting sufficient milk:(2) Child gaining wt growing well
l31_3	byte	L31. How to understand child is getting sufficient milk: (3) Child sleeps well
l31_4	byte	L31. How to understand child is getting sufficient milk: (4) Child plays well
l31_5	byte	L31. How to understand child is getting sufficient milk: (5) child stops crying
l31_11	float	L31. How to understand child is getting sufficient milk: (11) When baby stops drinking water
l31_95	byte	L31. How to understand child is getting sufficient milk: (95) Other
l31__99	byte	L31. How to understand child is getting sufficient milk: (99) Don't know
l32	byte	L32. Do you think that infants under 6 months of age should be given water if the weather is very hot?
l33	byte	L33. Do you think that infants under 6 months of age should be given water to clean the mouth after BF?
l34	byte	L34. Do you think that a breastfeeding mother of an infant under 6 months of age should stop breastfeeding if she becomes pregnant?
l35_1	byte	L35. What should hungry baby be fed if mother is away: (1) Mothers expressed breast milk
l35_2	byte	L35. What should hungry baby be fed if mother is away: (2) Formula milk
l35_3	byte	L35. What should hungry baby be fed if mother is away: (3) Animal milk
l35_4	byte	L35. What should hungry baby be fed if mother is away: (4) Gruel
l35_5	byte	L35. What should hungry baby be fed if mother is away: (5) Rice-water
l35_6	byte	L35. What should hungry baby be fed if mother is away: (6) Dal water
l35_95	byte	L35. What should hungry baby be fed if mother is away: (95) Other
l35__99	byte	L35. What should hungry baby be fed if mother is away: (99) Don't know
l36	byte	L36. Do you think that a mother with infant under 6 months should stop breastfeeding her child if the mother becomes ill?
l37	byte	L37. At what age should an infant first begin eating soft or semi-solid foods?
l38	byte	L38. Until about what age should a baby continue to be breastfed in addition to eating soft/semi-solid foods?
m01_01	byte	M1(1). Heard msg? During pregnancy, women should consume at least 5 different food groups
m01_02	byte	M1(2). Heard msg? During pregnancy, women should eat more than usual
m01_03	byte	M1(3). Heard msg? Adequate quantity of diverse nutrient rich food in diet every day during pregnancy is good for the mother's and child's health
m01_04	byte	M1(4). Heard msg? Adequate quantity of diverse nutrient rich food in diet every day during pregnancy can save costs on doctor and medicine for both mother and child
m01_05	byte	M1(5). Heard msg? Nutritious food is not always expensive
m01_06	byte	M1(6). Heard msg? Nutritious food is locally available
m01_07	byte	M1(7). Heard msg? During pregnancy and postpartum, take one IFA tablet everyday
m01_08	byte	M1(8). Heard msg? IFA prevents anemia and reduce risk of maternal death due to bleeding
m01_09	byte	M1(9). Heard msg? IFA reduce risk of low birth weight baby and ensures the best development of the child
m01_10	byte	M1(10). Heard msg? During pregnancy and postpartum, take two Calcium tablet everyday
m01_11	byte	yM1(11). Heard msg? Calcium helps in the development of bone and teeth of the baby
m01_12	byte	M1(12). Heard msg? Calcium reduces risk of hypertension, fever
m01_13	byte	M1(13). Heard msg? Do not take IFA with tea or milk
m01_14	byte	M1(14). Heard msg? Do not take IFA & Calcium tablets together since calcium inhibits iron absorption
m01_15	byte	M1(15). Heard msg? Increase intake of fruits and vegetables while consuming IFA tablets
m01_16	byte	M1(16). Heard msg? New born babies should be placed on mother's breast immediately after delivery

m01_17	byte	M1(17). Heard msg? No water, honey or sugar water should be given to the new born babies after birth
m01_18	byte	M1(18). Heard msg? Infants should be fed only breastmilk for the first six month
m01_19	byte	M1(19). Heard msg? Washing hands with water and soap regularly
m01_20	byte	M1(20). Heard msg? Use vegetables and fruits only after they are washed very well
m01_21	byte	M1(21). Heard msg? Drinking water should be kept covered
m01_22	byte	M1(22). Heard msg? Do not go to the toilet in the open, use the toilet that is made in the house
m01_23	byte	M1(23). Heard msg? During pregnancy, a woman should gain 9-11 kg weight
m01_24	byte	M1(24). Heard msg? During pregnancy, take at least two hours of rest every afternoon
m02	byte	M2. Beliefs: Consuming right types and amt of food during pregnancy is extremely important for my health and my unborn child's health
m03	byte	M3. Beliefs: Consuming right types and amt of food during pregnancy save medicine
m04	byte	M4. Beliefs: Consuming of IFA everyday during pregnancy is important for health
m05	byte	M5. Beliefs: Consuming of calcium everyday during pregnancy is important for health
m06	byte	M6. Beliefs: If Respondent BF infant within 1h after birth, be good for health
m07	byte	M7. Beliefs: If Respondent feed infant comb of bmilk & formula until she completes 6m
m08	byte	M8. Self-Efficacy: Resp can follow recommendations of 5 varieties of food to be consumed along with roti/rice during pregnancy
m09	byte	M9. Self-Efficacy: It is too costly to obtain recommended types & amt of foods
m10	byte	M10. Self-Efficacy: I can follow the recommendations of taking IFA everyday
m11	byte	M11. Self-Efficacy: I can follow the recommendations of taking Calcium everyday
m12	byte	M12. Self-Efficacy: Resp can produce enough bmilk to feed newborn within 1h of birth
m13	byte	M13. Self-Efficacy: Resp's bmilk is good quality nourish infant hence not need any other food, water, or infant formula until s/he has completed 6 months.
m14	byte	M14. Self-Efficacy: If MIL wants to feed newborn infant formula 24h after birth, I can refuse it
m15	byte	M15. Social norms: In fly & community expect PW to consume 5 varieties and larger quantity of food to get enough energy and nutrition during pregnancy
m16	byte	M16. Social norms: Most people important to Resp think PW not eat too much avoid difficult labor due to large baby
m17	byte	M17. Social norms: In fly & community PW expected to avoid certain foods that harm the mother and/or baby
m18	byte	M18. Social norms: Most people imp to Resp think that PW take IFA everyday
m19	byte	M19. Social norms: Most people imp to Resp think PW should take calcium everyday
m20	byte	M20. Social norms: Most people imp to Resp think mother can BF her infant within 1 hour after birth
m21	byte	M21. Social norms: Most people imp to Resp think that Resp feed infant only bmilk, and no other food, water, or infant formula for the first 6 months.
m22	byte	M22. Social norms: Most people imp to Resp think baby be given infant formula before she/he reaches 6 months of age.
m23	byte	M23. Social norms: Most people imp to Resp think baby given semi-solid before 6m of age
m24	byte	M24. Family support: Husband purchase diversified nutritious food ensures that I have these foods available for cooking
m25	byte	M25. Family support: Husband encouraged me to consume recommended qty of diversified foods daily
m26	byte	M26. Family support: Husband ensured that there are enough tablets of IFA at home and remind me to consume them

		M27. Family support: Husband ensured that there are enough Calcium tablets at home and remind me to consume them
m27	byte	
m28	byte	M28. Family support: Husband helps me to take rest for 2 hours during the day
		M29. Family support: Husband and family members mademe work which included heavy lifting during pregnancy
m29	byte	
m30	byte	M30. Family support: Husband reminded weight check regularly & recorded wt in MCP card
		M31. Family support: MIL ensured diverse food items bought and cooked for my consumption during my pregnancy
m31	byte	
m32	byte	M32. Family support: MIL reminded me to take IFA tablet daily
m33	byte	M33. Family support: MIL reminded me to take calcium tablets daily
m34	byte	M34. Family support: MIL reminde weight checked regularly and record wt in MCP card
n01_0	byte	N1. Know community groups in area: (0) None
n01_1	byte	N1. Know community groups in area: (1) Village hlth ntrtion sanitatn cmmittee
n01_2	byte	N1. Know community groups in area: (2) Reproductive health group
n01_3	byte	N1. Know community groups in area: (3) Women's/ mothers groups
n01_4	byte	N1. Know community groups in area: (4) Self-help groups
n01_5	byte	N1. Know community groups in area: (5) Gram Sabha
n01_95	byte	N1. Know community groups in area: (95) Other
n02_1	byte	N02. Are you a member of groups: (1) Yes, I am a member of Panchayat
n02_2	byte	N02. Are you a member of groups: (2) Yes, I am a member of VHNSC
n02_3	byte	N02. Are you a member of groups: (3) Yes Reproductive Health Groups
n02_4	byte	N02. Are you a member of groups: (4) Yes Women's/Mothers groups
n02_5	byte	N02. Are you a member of groups: (5) Yes, I am a member of Self-Help Groups
n02_6	byte	N02. Are you a member of groups: (6) Yes, I am a member of Gram Sabha
n02_95	byte	N02. Are you a member of groups: (95) Yes, I am a member of other
n02__66	byte	N02. Are you a member of groups: (_66) None
n03	byte	N3. Participated in/attended community group meeting in past 3mths
n04_1	byte	N4. Health topics discussed in meetings: (1) What to do PW emergency
n04_2	byte	N4. Health topics discussed in meetings: (2) Antenatal care of mothers
n04_3	byte	N4. Health topics discussed in meetings: (3) Nutrition needs and services
n04_4	byte	N4. Health topics discussed in meetings: (4) Preparation for delivery
n04_5	byte	N4. Health topics discussed in meetings: (5) Healthcare facility services
n04_6	byte	N4. Health topics discussed in meetings: (6) JSY, JSSK, or other schemes
n04_7	byte	N4. Health topics discussed in meetings: (7) Clean and safe deliveries
n04_8	byte	N4. Health topics discussed in meetings: (8) Postnatal care of mothers
n04_9	byte	N4. Health topics discussed in meetings: (9) What do newborif n have emergencies
n04_10	byte	N4. Health topics discussed in meetings: (10) How to keep babies healthy
n04_11	byte	N4. Health topics discussed in meetings: (11) Breastfeeding
n04_12	byte	N4. Health topics discussed in meetings: (12) Complementary feeding
n04_13	byte	N4. Health topics discussed in meetings: (13) Immunizations
n04_14	byte	N4. Health topics discussed in meetings: (14) Family planning
n04_15	byte	N4. Health topics discussed in meetings: (15) Sanitation/ hygiene
n04_95	byte	N4. Health topics discussed in meetings: (95) Other
n05_1	byte	N5. Who attends meetings you attend: (1) Other RDWs
n05_2	byte	N5. Who attends meetings you attend: (2) Pregnant women
n05_3	byte	N5. Who attends meetings you attend: (3) Husbands/Fathers
n05_4	byte	N5. Who attends meetings you attend: (4) Mothers-in-law /elderly grandparents

n05_5	byte	N5. Who attends meetings you attend: (5) Village leaders and authorities
n05_95	byte	N5. Who attends meetings you attend: (95) Other
n06_1	byte	N06. Do front line health workers attend the meetings: (1) Yes, AWWs
n06_2	byte	N06. Do front line health workers attend the meetings: (2) Yes, ASHAs
n06_3	byte	N06. Do front line health workers attend the meetings: (3) Yes, ANM
n06__66	byte	N06. Do front line health workers attend the meetings: (_66) None
o01	byte	O1. Do you rent or own the house you live in?
o02	byte	O2. Main floor material
o03	byte	O3. Main exterior wall material
o04	byte	O4. Main roof material
o05	byte	O5. Do you have a garden where you grow vegetables and/or fruits?
o06	byte	O6. Does your household have any electricity?
o07	byte	O7. What type of fuel does your household mainly use for cooking?
o08	byte	O8. Do you have your own mobile phone?
o09	byte	O9. Do you have access to mobile phone?
o10	byte	O10. Do you hold a bank account?
o11	byte	O11. Do any other members of the household hold a bank account?
o12	byte	O12. Do you have an Aadhaar card?
o13	byte	O13. What is the main source of drinking water for members of your household?
o14	byte	O14. Do you have a toilet facility in the household?
o15	byte	O15. What kind of toilet facility do members of your household usually use?
o16	byte	O16. Do you share this toilet facility with other households?
o17_01	byte	O17. Household Assets:(1) Stove/Gas burner
o17_02	byte	O17. Household Assets:(2) Pressure cooker
o17_03	byte	O17. Household Assets:(3) Mattress/blanket
o17_04	byte	O17. Household Assets:(4) Table
o17_05	byte	O17. Household Assets:(5) Chair
o17_06	byte	O17. Household Assets:(6) Electric fan (Ceiling/Table)
o17_07	byte	O17. Household Assets:(7) Refrigerator
o17_08	byte	O17. Household Assets:(8) Radio
o17_09	byte	O17. Household Assets:(9) Audio cassette/CD player
o17_10	byte	O17. Household Assets:(10) DVD player
o17_11	byte	O17. Household Assets:(11) TV (color/black-white)
o17_12	byte	O17. Household Assets:(12) Wall clock/wrist watch
o17_13	byte	O17. Household Assets:(13) Sewing machine
o17_14	byte	O17. Household Assets:(14) Bicycle
o17_15	byte	O17. Household Assets:(15) Motorcycle/ Scooter
o17_16	byte	O17. Household Assets:(16) Car
o17_17	byte	O17. Household Assets:(17) Cycle rickshaw
o17_18	byte	O17. Household Assets:(18) Bullock cart/Horse cart
o17_22	byte	O17. Household Assets:(22) Computer/ laptop
o17_23	byte	O17. Household Assets:(23) Phone/mobile phone
o17_25	byte	O17. Household Assets:(25) Hand tube well/ rower pump
o17_26	byte	O17. Household Assets:(26) Water pump
o17_27	byte	O17. Household Assets:(27) Tractor
o17_28	byte	O17. Household Assets:(28) Cow
o17_29	byte	O17. Household Assets:(29) Buffalo

o17_30	byte	O17. Household Assets:(30) Goat
o17_33	byte	O17. Household Assets:(33) Other 1
o17_34	byte	O17. Household Assets:(34) Other 2
p01	byte	P1. Past 30 days, worry about enough food for household
p02	byte	P2. If yes, how often did this happen?
p03	byte	P3. Past 30 days, respondent/family not able to eat preferred food lack of resources
p04	byte	P4. If yes, how often did this happen?
p05	byte	P5. Past 30 days, resp/family eat few food day after day lack of resource
p06	byte	P6. If yes, how often did this happen?
p07	byte	P7. Past 30 days, resp/family eat food that did not want lack of resource
p08	byte	P8. If yes, how often did this happen?
p09	byte	P9. Past 30 days, resp/family eat smaller qty of food
p10	byte	P10. If yes, how often did this happen?
p11	byte	P11. Past 30 days, resp/family eat fewer meals
p12	byte	P12. If yes, how often did this happen?
p13	byte	P13. Past 30 days, no food at all at house
p14	byte	P14. If yes, how often did this happen?
p15	byte	P15. Past 30 days, slept hungry because no food/not enough
p16	byte	P16. If yes, how often did this happen?
p17	byte	P17. Past 30 days, respondent/family did not eat at all whole day
p18	byte	P18. If yes, how often did this happen?
q01_01	byte	Q1. Decision-making power:(1) Man should take important decision
q01_02	byte	Q1. Decision-making power:(2) Husband should help with housework if woman works outside home
q01_03	byte	Q1. Decision-making power:(3) Husband should not let wife work outside home even if she would like to do it, do you agree or disagree
q01_04	byte	Q1. Decision-making power:(4) Woman right express opinion nt agree husband
q01_05	byte	Q1. Decision-making power:(5) Woman must accept husband beat her keep fly together
q01_06	byte	Q1. Decision-making power:(6) It is better to send son school than daughter
q02_01	byte	Q2. Possess alone/together:(1) Land
q02_02	byte	Q2. Possess alone/together:(2) Respondent's house
q02_03	byte	Q2. Possess alone/together:(3) Another house/room
q02_04	byte	Q2. Possess alone/together:(4) Animals like cows, buffalo, goat, sheep, horses etc
q02_05	byte	Q2. Possess alone/together:(5) Small animals like hens, ducks, chickens, pigeon, rabbits
q02_06	byte	Q2. Possess alone/together:(6) Gold jewelry
q03_01	byte	Q3. Family member who decides most:(1) Buying of food like rice, vegetables
q03_02	byte	Q3. Family member who decides most:(2) Buying animal source foods
q03_03	byte	Q3. Family member who decides most:(3) Buying cooking oil
q03_04	byte	Q3. Family member who decides most:(4) Buying medicine for yourself
q03_05	byte	Q3. Family member who decides most:(5) Buying medicine for the children
q03_06	byte	Q3. Family member who decides most:(6) What food is prepared every day
q03_07	byte	Q3. Family member who decides most:(7) If you have to work to earn money
q03_08	byte	Q3. Family member who decides most:(8) Visiting other family members, friends or relatives?
q03_09	byte	Q3. Family member who decides most:(9) Seeing a doctor or visiting a dispensary when you are pregnant?
q03_10	byte	Q3. Family member who decides most:(10) Use of family planning methods
q03_11	byte	Q3. Family member who decides most:(11) To eat nutritious food during pregnancy

q03_12	byte	Q3. Family member who decides most:(12) To take supplemental tablets during preg
q03_13	byte	Q3. Family member who decides most:(13) To take rest every day for a certaintime during pregnancy
q03_14	byte	Q3. Family member who decides most:(14) Whether or not BF child & when to give weaning food to the child
q03_15	byte	Q3. Family member who decides most:(15) What and how to feed the infant in his first year of life?
q03_16	byte	Q3. Family member who decides most:(16) When to seek care for a sick child
q04_01	byte	Q4. Respondent ask husband/other permission travel:(1) To the market
q04_02	byte	Q4. Respondent ask husband/other permission travel:(2) To a friend or family member's house less than one hour away
q04_03	byte	Q4. Respondent ask husband/other permission travel:(3) To the temple, church or mosque
q04_04	byte	Q4. Respondent ask husband/other permission travel:(4) To a public village meeting
q04_05	byte	Q4. Respondent ask husband/other permission travel:(5) To a meeting of any association of which you are a member including a self-help group?
q04_06	byte	Q4. Respondent ask husband/other permission travel:(6) To go outside village
q04_07	byte	Q4. Respondent ask husband/other permission travel:(7) To see health care provider for yourself
q04_08	byte	Q4. Respondent ask husband/other permission travel:(8) To see health care provider for your child
r01	byte	R1. Social desirability scale:Difficult to go on with work if discouraged
r02	byte	R2. Social desirability scale:Feel resentful if not get her own way
r03	byte	R3. Social desirability scale:Occasionally gives up something does not feel ability
r04	byte	R4. Social desirability scale:Feel rebellious against authority even if she know
r05	byte	R5. Social desirability scale:Always a good listener no matter who talks
r06	byte	R6. Social desirability scale:Occasions when taken advantage of someone
r07	byte	R7. Social desirability scale:Willing to admit when made a mistake
r08	byte	R8. Social desirability scale:Always courteous to even unpleasant people
r09	byte	R9. Social desirability scale:Irked by people with different opinions
r10	byte	R10. Social desirability scale:Jealous of others fortunes
r11	byte	R11. Social desirability scale:Gets irritated by people who ask her for something
r12	byte	R12. Social desirability scale:Deliberately said thing hurt someone feelings
s01	byte	S1. Signs/symtopms exp last 1mth: Weakness or fatigue
s02	byte	S2. Signs/symtopms exp last 1mth: Shortness of breath
s03	byte	S3. Signs/symtopms exp last 1mth: Rapid or irregular heartbeat
s04	byte	S4. Signs/symtopms exp last 1mth: Chest pain
s05	byte	S5. Signs/symtopms exp last 1mth: Dizziness
s06	byte	S6. Signs/symtopms exp last 1mth: Leg cramps
s07	byte	S7. Signs/symtopms exp last 1mth: Insomnia
s08	byte	S8. Signs/symtopms exp last 1mth: Cold hands and feet
s09	byte	S9. Signs/symtopms exp last 1mth: Difficulty concentrating
s10	byte	S10. Signs/symtopms exp last 1mth: Pale skin, lips and nail (observation)
s11	byte	S11. Problems faced last 1 mth: Did you often have headaches?
s12	byte	S12. Problems faced last 1 mth: Poor appetite
s13	byte	S13. Problems faced last 1 mth: Slept bdaly
s14	byte	S14. Problems faced last 1 mth: Easily Frightened
s15	byte	S15. Problems faced last 1 mth: Hands tremble
s16	byte	S16. Problems faced last 1 mth: Nervous, tensed, worried
s17	byte	S17. Problems faced last 1 mth: Poor digestion
s18	byte	S18. Problems faced last 1 mth: Tribble thinking clearly

s19	byte	S19. Problems faced last 1 mth: Unhappy about life
s20	byte	S20. Problems faced last 1 mth: Cry more than usual
s21	byte	S21. Problems faced last 1 mth: Difficult to enjoy daily activities
s22	byte	S22. Problems faced last 1 mth: Difficulty in making decision
s23	byte	S23. Problems faced last 1 mth: Dly work suffering
s24	byte	S24. Problems faced last 1 mth: Unable to play useful part in life
s25	byte	S25. Problems faced last 1 mth: lose interest in things
s26	byte	S26. Problems faced last 1 mth: Felt worthless person
s27	byte	S27. Problems faced last 1 mth: Thought of ending life
s28	byte	S28. Problems faced last 1 mth: Feel tired all the time
s29	byte	S29. Problems faced last 1 mth: Uncomfortable feeling in stomach
s30	byte	S30. Problems faced last 1 mth: Easily tired
t01_01a	byte	T1. Postnatal functional disability:(1A) Able to take care of newborn
t01_01b	byte	T1. Postnatal functional disability:(1B) Difficulty in care of newborn
t01_02a	byte	T1. Postnatal functional disability:(2A) Able to feed the baby
t01_02b	byte	T1. Postnatal functional disability:(2B) Difficulty in feeding the baby
t01_03a	byte	T1. Postnatal functional disability:(3A) Able to bathe the baby
t01_03b	byte	T1. Postnatal functional disability:(3B) Difficulty in bathing the baby
t01_04a	byte	T1. Postnatal functional disability:(4A) Wash baby's clothes
t01_04b	byte	T1. Postnatal functional disability:(4B) Difficulty in washing baby clothes
t01_05a	byte	T1. Postnatal functional disability:(5A) Able to prepare meals
t01_05b	byte	T1. Postnatal functional disability:(5B) Difficulty prepare meals
t01_06a	byte	T1. Postnatal functional disability:(6A) Clean the house
t01_06b	byte	T1. Postnatal functional disability:(6B) Difficulty cleaning house
t01_07a	byte	T1. Postnatal functional disability:(7A) Able to get water
t01_07b	byte	T1. Postnatal functional disability:(7B) Difficulty getting water
t01_08a	byte	T1. Postnatal functional disability:(8A) Able to get nearest health facility
t01_08b	byte	T1. Postnatal functional disability:(8B) Diificulty to get to health facility
t01_09a	byte	T1. Postnatal functional disability:(9A) Able to care oneself
t01_09b	byte	T1. Postnatal functional disability:(9B) Difficulty caring oneself
t01_10a	byte	T1. Postnatal functional disability:(10A) Able to bathe oneself
t01_10b	byte	T1. Postnatal functional disability:(10B) Difficulty bathing oneself
t01_11a	byte	T1. Postnatal functional disability:(11A) Able to get dressed
t01_11b	byte	T1. Postnatal functional disability:(11B) Diificulty dressing oneself
t01_12a	byte	T1. Postnatal functional disability:(12A) Wash clothes
t01_12b	byte	T1. Postnatal functional disability:(12B) difficulty washing clothes
t01_13a	byte	T1. Postnatal functional disability:(13A) Able to use toilet
t01_13b	byte	T1. Postnatal functional disability:(13B) Diffciulty using toilet
t02_01	byte	T2. Postpartum symtopms:(1) Convulsions
t02_02	byte	T2. Postpartum symtopms:(2) Visual disturbance
t02_03	byte	T2. Postpartum symtopms:(3) Blindness
t02_04	byte	T2. Postpartum symtopms:(4) Coma or unconsciousness
t02_05	byte	T2. Postpartum symtopms:(5) Excessive vaginal bleeding
t02_06	byte	T2. Postpartum symtopms:(6) Fever
t02_07	byte	T2. Postpartum symtopms:(7) Abdominal/uterine pain/tenderness
t02_08	byte	T2. Postpartum symtopms:(8) Foul smelling vaginal discharge
t02_09	byte	T2. Postpartum symtopms:(9) Productive cough and shortness of breath

t02_10	byte	T2. Postpartum symptoms:(10) Dysuria or flank pain
t02_11	byte	T2. Postpartum symptoms:(11) Headache
t02_12	byte	T2. Postpartum symptoms:(12) Neck stiffness
t02_13	byte	T2. Postpartum symptoms:(13) Fatigue/weakness/lethargy
t02_14	byte	T2. Postpartum symptoms:(14) Swelling
t02_15	byte	T2. Postpartum symptoms:(15) Epilepsy
t02_16	byte	T2. Postpartum symptoms:(16) High blood pressure
t02_17	byte	T2. Postpartum symptoms:(17) Nausea/ Vomiting
t02_18	byte	T2. Postpartum symptoms:(18) Dizziness
t02_19	byte	T2. Postpartum symptoms:(19) Breast pain/engorgement/cracked or sore nipples/flat or inverted nipples
t02_20	byte	T2. Postpartum symptoms:(95) Others
t02_21	byte	T2. :(21) Respondent taken to clinic or hospital because of these illness
t02_22	byte	T2. :(22) Admitted to the hospital
t02_23	byte	T2. :(23) Number of days admitted in hospital or clinic
t03_01	byte	T3. Infant exp foll symptoms 1 mth from birth:(1) Feeding difficulty
t03_02	byte	T3. Infant exp foll symptoms 1 mth from birth:(2) Breathing difficulty
t03_03	byte	T3. Infant exp foll symptoms 1 mth from birth:(3) Fits or convulsion
t03_04	byte	T3. Infant exp foll symptoms 1 mth from birth:(4) Movement only when stimulated or no movement at all
t03_05	byte	T3. Infant exp foll symptoms 1 mth from birth:(5) Fever
t03_06	byte	T3. Infant exp foll symptoms 1 mth from birth:(6) Hypothermia/low temperature
t03_07	byte	T3. Infant exp foll symptoms 1 mth from birth:(7) Umbilical cord infection
t03_08	byte	T3. Infant exp foll symptoms 1 mth from birth:(8) Skin infection
t03_09	byte	T3. Infant exp foll symptoms 1 mth from birth:(9) Jaundice/yellow color of skin
t03_10	byte	T3. Infant exp foll symptoms 1 mth from birth:(10) Vomiting/diarrhea
t03_11	byte	T3. Infant exp foll symptoms 1 mth from birth:(11) Others
t03_12	byte	T3. :(12) Baby taken to clinic or hospital because of these illness
t03_13	byte	T3. :(13) Baby admitted to hospital
t03_14	byte	T3. :(14) Number of days baby been in hospital or clinic
v01	byte	V1. Attitude gender roles: A good wife obeys her husband even if she disagrees
v02	byte	V2. Attitude gender roles: The family issues should only be discussed among members
v03	byte	V3. Attitude gender roles: It is important for a man to show his wife who is the boss
v04	byte	V4. Attitude gender roles: A woman should be able to choose her friend even if her husband disapproves.
v05	byte	V5. Attitude gender roles: It's wife obligation to have sex with husband even if she doesn't feel like it
v06	byte	V6. Attitude gender roles: If a man mistreats his wife others outside of family should intervene
v07_01	byte	V7. Man can hit wife:(1) If she goes out without telling him
v07_02	byte	V7. Man can hit wife:(2) If she neglects the children?
v07_03	byte	V7. Man can hit wife:(3) If she argues with him?
v07_04	byte	V7. Man can hit wife:(4) If she refuses to have sex with him?
v07_05	byte	V7. Man can hit wife:(5) If she does not obey elders in the family?
v07_06	byte	V7. Man can hit wife:(6) She disobeys him
v07_07	byte	V7. Man can hit wife:(7) She does not complete her household work to his satisfaction
v07_08	byte	V7. Man can hit wife:(8) She asks him whether he has other girlfriends
v07_09	byte	V7. Man can hit wife:(9) He suspects that she is unfaithful

v07_10	byte	V7. Man can hit wife:(0) He finds out that she has been unfaithful
v08_01	byte	V8. Woman refuse sex:(1) She does not want to
v08_02	byte	V8. Woman refuse sex:(2) Her husband is drunk
v08_03	byte	V8. Woman refuse sex:(3) She is tired, sick
v08_04	byte	V8. Woman refuse sex:(4) He mistreats her
v09	byte	V9. In your relationship with your (current or most recent) husband, how often would you have argument/quarrels? Would you say rarely, sometimes or often?
v10_01	byte	V10. Domestic life:(1) Tries to keep you from seeing your friends,
v10_02	byte	V10. Domestic life:(2) Tries to restrict you from contacting your family of birth
v10_03	byte	V10. Domestic life:(3) Insists on knowing where you are at all times,
v10_04	byte	V10. Domestic life:(4) Ignores you and treats you indifferently,
v10_05	byte	V10. Domestic life:(5) Gets angry if you speak to another man,
v10_06	byte	V10. Domestic life:(6) Is often suspicious that you are unfaithful,
v10_07	byte	V10. Domestic life:(7) Expects you to ask his permission before seeking health care for yourself.
v11a_01	byte	V11a. Violence by husband:(1) Husband has insulted respondent
v11a_02	byte	V11a. Violence by husband:(2) Husband has belittled respondent front of others
v11a_03	byte	V11a. Violence by husband:(3) Husband done things to scare or intimidate on purp
v11a_04	byte	V11a. Violence by husband:(4) Threatened to hurt respondent or thos she cares
v11a_05	byte	V11a. Violence by husband:(5) Pushed, shook, thre something on respondent
v11a_06	byte	V11a. Violence by husband:(6) Slapped respondent
v11a_07	byte	V11a. Violence by husband:(7) Twisted arm/pulled hair
v11a_08	byte	V11a. Violence by husband:(8) Punched with fist
v11a_09	byte	V11a. Violence by husband:(9) Kicked or dragged to beat Respondent
v11a_10	byte	V11a. Violence by husband:(10) Tried to choke/burn on purpose
v11a_11	byte	V11a. Violence by husband:(11) Threaten or attack with a knife, gun, or any other weapon?
v11b_01	byte	V11b. Violence in past 12 months:(1) Husband has insulted respondent
v11b_02	byte	V11b. Violence in past 12 months:(2) Husband has belittled respondent front of other
v11b_03	byte	V11b. Violence in past 12 months:(3) Husband done things to scare or intimidate on purp
v11b_04	byte	V11b. Violence in past 12 months:(4) Threatened to hurt respondent or thos she cares
v11b_05	byte	V11b. Violence in past 12 months:(5) Pushed, shook, thre something on respondent
v11b_06	byte	V11b. Violence in past 12 months:(6) Slapped respondent
v11b_07	byte	V11b. Violence in past 12 months:(7) Twisted arm/pulled hair
v11b_08	byte	V11b. Violence in past 12 months:(8) Punched with fist
v11b_09	byte	V11b. Violence in past 12 months:(9) Kicked or dragged to beat Respondent
v11b_10	byte	V11b. Violence in past 12 months:(10) Tried to choke/burn on purpose
v11b_11	byte	V11b. Violence in past 12 months:(11) Threaten or attack with a knife, gun, or any other weapon?
v12a_01	byte	V12a. Violence by MIL/others:(1) MIL has insulted respondent
v12a_02	byte	V12a. Violence by MIL/others:(2) MIL has belittled respondent front of others
v12a_03	byte	V12a. Violence by MIL/others:(3) MIL done things to scare or intimidate on purp
v12a_04	byte	V12a. Violence by MIL/others:(4) Threatened to hurt respondent or thos she cares
v12a_05	byte	V12a. Violence by MIL/others:(5) Pushed, shook, thre something on respondent
v12a_06	byte	V12a. Violence by MIL/others:(6) Slapped respondent
v12a_07	byte	V12a. Violence by MIL/others:(7) Twisted arm/pulled hair
v12a_08	byte	V12a. Violence by MIL/others:(8) Punched with fist
v12a_09	byte	V12a. Violence by MIL/others:(9) Kicked or dragged to beat Respondent
v12a_10	byte	V12a. Violence by MIL/others:(10) Tried to choke/burn on purpose
v12a_11	byte	V12a. Violence by MIL/others:(11) Threaten or attack with a knife, gun, or any other weapon

v12b_01	byte	V12b. Violence in past 12 months:(1) MIL has insulted respondent
v12b_02	byte	V12b. Violence in past 12 months:(2) MIL has belittled respondent front of others
v12b_03	byte	V12b. Violence in past 12 months:(3) MIL done things to scare or intimidate on purp
v12b_04	byte	V12b. Violence in past 12 months:(4) Threatened to hurt respondent or thos she cares
v12b_05	byte	V12b. Violence in past 12 months:(5) Pushed, shook, thre something on respondent
v12b_06	byte	V12b. Violence in past 12 months:(6) Slapped respondent
v12b_07	byte	V12b. Violence in past 12 months:(7) Twisted arm/pulled hair
v12b_08	byte	V12b. Violence in past 12 months:(8) Punched with fist
v12b_09	byte	V12b. Violence in past 12 months:(9) Kicked or dragged to beat Respondent
v12b_10	byte	V12b. Violence in past 12 months:(10) Tried to choke/burn on purpose
v12b_11	byte	V12b. Violence in past 12 months:(11) Threaten or attack with a knife, gun, or any other weapon?
v13	byte	V13.Husband physically forced sexual intercourse
v14	byte	V14.Beaten or physically assaulted by husband while pregnant
v15	byte	V15.Beaten or physically assaulted by husband during last pregnancy
v16	byte	V16.Punched or kicked in the abdomen while pregnant
w1w1	float	W1w1. Mothers Weight (in kgs) - measure 1
w1w2	float	W1w2. Mothers Weight (in kgs) - measure 2
w1w3	float	W1w3. Mothers Weight (in kgs) - measure 3 (Optional if needed)
w1w_err	byte	W1w_err. Mothers Weight (in kgs) - need measure 3
w2h1	float	W2h1. Mothers Height (in cms) - measure 1
w2h2	float	W2h2. Mothers Height (in cms) - measure 2
w2h2_err	byte	W2h2_err. Mothers Height (in cms) - need measure 3
w2h3	float	W2h3. Mothers Height (in cms) - measure 3 (Optional if needed)
w3	byte	W3. Is RDW currently pregnant?
w5w1	float	W5w1. Index Child's Weight (in kgs) - measure 1
w5w2	float	W5w2. Index Child's Weight (in kgs) - measure 2
w5w3	float	W5w3. Index Child's Weight (in kgs) - measure 3 (Optional if needed)
w5w_err	byte	W5w_err. Index Child's Weight (in kgs) - need measure 3
w6h1	float	W6h1. Index Child's Height (in cms) - measure 1
w6h2	float	W6h2. Index Child's Height (in cms) - measure 2
w6h2_err	byte	W6h2_err. Index Child's Height (in cms) - need measure 3
w6h3	float	W6h3. Index Child's Height (in cms) - measure 3 (Optional if needed)
ch_aged	float	child age in day
ch_agem	float	child age in month
AT	float	Intervention program
pair	float	AT paired
agegr	float	RDW's age group
mo_edu_cat	byte	maternal education in category
hus_edu	byte	husband's education